

PROFESSIONAL PROGRAMMING COURSES



FORMAT: WEB-FOF FLUS VEDEO LECTURES
CENTRICATE OF COMPLETION

### WHERE ADDINGS IT

Author Claim Dispos (AMD-NET) is an application program interface due object by Nomorth etilish at Deve programment others across to a relationship in our distribution discloses from high Microsoft and etilized providing. ACM there and of Compension Disposition (Model & COM) objects for accounting data sources.

ADO in a past of MEXIC (Minerall Exis Assets Compensate), which provides a new layer between programming Sequence and CCL CR. ADO allows a develope to programs that are accorded a without Leveling have the distribute in implemental or accorded as without Leveling have the distribute in implemental or according to the contract of the

owners and ACO invariable ICQ commands directly. For training, if you waited to retire a regimen that variable provides care of your Wile view with data from an BM CRC distribution of the contract of the

### tarreninger oy abbot on a

- LICENSET ARTERISAN CRES CRISIS A
- A leasure Bedrain
  - 33E Septen
- Street Close Components
  - arthumanoc and

## Freturn of ADUNET

I. Bulk Cop

2. Both Typ 3. Data Page

Comercia Details

Denotics Removing/Corner Denotics Cond and No.

Difference Florence Class Committed from Provide

whe Full Course, you will have everything you used to have about APA/AET with

### IBO.NET Course Outle

USONETTOWN Provide USONETTOC Survey USONET Commonlies USONET Command USONET Command USONET Command USONET Command

ABONETONA Abpor ABONET WE Evende

CYsler Leviere



CERTIFICATE OF COMPLETION

### x.4mbreid:

studylesses and deleterosepotes. Address and developed by the Open Randed Alliance. In Pay Cough, and also key leak companies.

## What is Audroid Programming?

Authoritipogramming is the nothed by which applications are built and do elegal for Authorities operating events. Applications are often built in the appropriating the gauge using the Authorities defraces also depend in (EU), became other development excessioners and programming languages are also evaluate.

advided Programming is programmed or vertice in the Area programming language and or Executed Inhances for applications are compounded after an enter applications compocing which have ractivistic, services, expects pre-siders, and threadward societies.

## franciscs of Android Programming Language

 Insheld iver upon course programming language, se it is reduce with very large-developer continuously which fusion on indicating with such order and also give information about the assessment or section of Auditor.

- k rokenov svority
- 8 pre-life scope for inequation and 8 for a pixted process.
- bit for advanción deposer sub like ESI indesid development subit for de serviper committy which subcon to development con for the development company

  A months for a Colombia relative estimation estimation.
- 7. It provides not people years appealingly

Presence of Android Programming Language
The Administrary designed his Policies as eath and development halo. They are included onlying to these, every lander medicated on 1956, decreasing, supplied and expenditure of the 1956, decreasing the project of the second to the control of the second to the second to

stantisis Anti-Vienniky approximate department destiness are compressed semingrisms by a products and defined to be not destined. See CVIX. The last semi-Viennike -1 kerox.

Endoscomments in Andreid's 1988, contribute communical selection or well semindred platforms and endoscomments of the Administration or some development in the Administration or some development, so endoscomments of the Administration of the Administration or some development, so endoscomments and development in the Administration of th

And reflectively before any personal and resignification, and former in the content of and the content of the latter of terrorises of the first and the content of the latter of terrorises are first the content of the latter of the content of the latter o

submitted a popular companing platform are no linear operating common for the common of archaeted and associated and and and popular for the contempts of all others passes produced as the contempts of all others for the contempts of all others for the contempts of a contempt of a contempts of a contempt of a popular contempt of a contempt of a popular contempt o

absolution promise generality come comprising the light Alexand supprise frames, with histories or Schmidter (Colombia, Colombia, Mark Mark signal), And Christ, And Michael, And Michael, Nicholael, Andreid Name, Managing and an an Andreid Agglindering designame, in religious the latent production of the light and and an analysis of an animal designation of the latent animal ani

devide training frames. As commenced adopts, which are professionly and an Auhald to add 5 (b) 400. To our Auhald destribe adverse to and bringhout. In the Full Courte para Millionine confiding para and before about both Programming Longmin Coulding to internation our Autorities and companion.



### at in Ardiolog7

Addition is an open-course printings platform, beset-on any to find and sac between and software.

Authories is made up of a sirveal bound, which was be programmed (presently ordered to as a microcontrolled und a ready-ends arthress known as technics EM, that is used to write undireptional the computer redirects programs to the physical bound.

or under the GAT Control Public Leaves (GPL), which portion around the members and develope Authors with transfer, Authors baseds are made communically available to the presumetrial form or as a few posteriol (GAT) time.

The boards in proceedings or section control or assumed control interfaces, worse of which include Uniformit Sorial One ESSEs were sense models, that are take used for bonding and war year games from personal companion. The entirecentrollers can be progressioned by using timping, or such as Essel One Control and one to configurate entire to the control of the entire transfer of the entire transfer of progression of the entire transfer of the entire transf

It is simed argumining a low-cent and any vary for professionals and non-increasment. As the contract of the contract of the contract of the promotion of a content. Typical compliquent mail: divisor that are indicated for beginned buddenic include distinuousless, simples solves, as making allowers. The same brightness comme from a how to brown, body where some of the Gooders of the project assoulty man ap.

### Hittory of Archites

The Anthomorphys & Makenine of the Indocessium Design Beathers Free (SEE) in Free, Made Control of Section 5, and the control of Section 5. (SEE) is present the control of Section 5. (See Section 5.) and the control of Section 6. (See Section 5.) and the control of Section 5. (See Section 5.) and the control of Section 5. (See Section 5.) and the control of Section 5. (See Section 5.) and the control of Section 5. (See Section 5.) and the section 5. (See Sec

The function of the state of th

Federate Search, Adelaine Service (100), and fast measuring of the independent, in No. with the Committee of the Committee of the Committee of Comm

### Francisco of Archive

believe set pushes of the foothers of scholars.

To freduce hearth are designed to be other search other study or digited it part eigents the
different sensors and three contract it believe output make accurating LED-united accurating
matter, somere to the detail and many other serious.

The use manage the Seculiars of year hand by sanding a serior of indexistent in S minerated by on the hand demands the Antonio (SDC) haven as unbankers softened

 Utilis mor proofing pregnantable pired heath, Ashino-bea not require at extra pion of hardware in role included are sold rate the bread. Forcum steply are a Utilisable as transfer the role.

Middlewally, the helpine EXI makes are of a simplified various of C = 1, therefore make another to have another reason.

 Finally, Arthrite property you with a standard from factor that breaks down the functions of the miner contention into a more assumptible pushage.

# purites and entenergies of a

Other are more of the benefits of Arthris

. It person with an open supply of barbears flutures that allows its assume durably the

The sufferest of the holiston in fully 400 of with all kinds of operating system. He follows, and Marinton, me.

It also arress, with an open apply self-new system training allows sough software system of agests to use the Audinius outer of Hond with the output programing language literatus from the conduct and demand.

For September, Auditor in case streets on one.

. Trus are exposed to different jub-apportunities when you been how to use An

## rum ij in tratiti akad

- S. Princi C.P.C.P.C. Andrey, ERGS, 1983; E.
- 3. horikma.
  - DO BOOLERS
  - Main E.

### The Ardaleo Femile

A. Welden Chen (ECS). The Section Chemic scientify a ready good relation for your cury that Architechnoid. If her recording presentation of Architect years declaim journey. If continuously single fifthing you took to work with the improvemental, compared to a PA with a CSD-code or security or with a K-AC-AC subject or present good or many young a month.

- 3. EdyPaul Selaino. 3. Builboard.
  - 5. Indian Longs
    - Smon. Date.



DURATION: 2 WEEKS ORMAT: WEEFOF PLUS VIDEO LECTURERS CERTIFICATE OF COMPLETION

# Phot is Assembly Language?

Assembly Engage in a located organic programming inquests that a residence programming language, maked, it is a group of language, maked, it is a group of language.

Assembly Esegongs makes and a symbolic approximation of the mechine-order by involving large properties as periodic CTE architecture. Secondly begings on the Large as Assembly among prints as the Large as

common support on the control control control groups and on the control contro

Assembly Exegungs in druckpool or and control curron instruction and convert indirects to making begangs for Settler processing. Assembly Exegungs dipsaid on the cyclestic and in

Assembly Language in mainly most up of moments processed instructions or data that in the that processes, and other maintenance or instructions, third developed with the holy of zon-pilling the high live distinguing masses and a like  $C_1 C = C_2$ , Janua, C.S., etc. Assembly, Language below in the conduction of the ordinary masses.

The vising of anomaly Language hold very important the computer programmers. In the jet in being which counted over the question and in the industries of its contents. By having assembly language, the programmer would be after to write the code to gain a comquient and he date to review the memory address of points and other. By manife higher in questing up the optimization process that increases the efficiency analyses remove of software contents.

# The same for the same of the same and the same of the same

also relimed in an architecture or computer architecture.

2. Bendflag: A handle contains aprovince instructions and as associated complex. To

 Intervenies Couper Instruction that are discussive outcome impossibilities or expension in instruction gauge, An instruction-group is a set of constructive instructions that should have no interdependents. The instructions group is constructed as they but,

Pers Allegation IAS and to allegating and initializing space in momen, IAS supports are distribute.

distribution (sight hold also lifes) was. The expected distribution include the believing approximation or information varieties united, symbol control, the inclusion, bundle complete value face, along information, were had information.

was not the norm. Million has word discribed defines another alreas of compare analysis have, memory, and O'Chi and hy entermine, the software that have are from 1.45 supports 64-64 (2020) at \$60.0.

3. Millements: Fr. default, 1.56 aligns benefits on 16 type benefits in, and data discress.

3. Milgamann Dy Arlani, Ishi alipus humilar un Id-yar humidatin, und dan dimensa soonding te Belevinis I.VS aligus seek sordin noroding te fix hagar aligument report is the notice. Bindon, detechnism, or a alipu Brodina analog digment aquint the tradition of tradements. Analogonous sources on while the programmer is define a

non, o impostos.

5. Mining This is ordire the costs different algority to become indivinguishable for these costs of the costs of market and costs of costs

officer of the another) when complete TVS region's the abusing of system content and astion server.

constant and addresses, using nimited arithmetic natures. Arithmetic expensions can include symbols, manufacturessions, and appearance.

# They are many hearfin of bounds Laurence and some of their are

 Instantify Language afform the programmen in anny and more complex, jobs to non insimples way.

2. In earth, order or more official data for signs have seemy special operation.

 $\delta$  . In a really Languages programs are mainly banks are selected i.e they are serious with just the bank way in mind.

- 7. It empires loss instruction to get the result.
- K. B invest for orbital july.
- Note that the second property of the second control of the se

# Wily Study Assembly Europeage?

- 1. Date complete united over expelors's recon-
  - Disease access to handware.
  - 4. Coron appertunities and advancement.



CERTIFICATE OF COMPLETION

# What is CONOL?

COM. which a the accrete to Common Reviews Avenue Lampung is an Implied of expected company programming impange there we designed for an in-pagements and hashinous. It is provided implied with a object yielded advance development has pages COME. An about it for the former, bettern, and administrative up areas for regionizations, companies, and yet removals.

CROCK is plitticated which in largery software than is deployed an analysis recommendation and the six for largery with beach and formation presenting properties that due to their description and the six formation and the larger products to pulsars with the interest of operation of CROCK developes. CROCK developes are of from properties for our recognition in profession and cropping of the developes are simply in placed with another president. Note that development in CROCK is a many present by our transage and another profession. More development in CROCK is a compression of the compression of the control of the

regular preference on "the producements of COSSEA", COSSEA, was dereigned as previous modifier of the COSSEA (Cossea) and an expension of the modifier of the COSSEA (Cossea) and a cossea contribution and processing, it was printedly want as a singuage, but the Deploy name of Reference assessmentally, the compact consistency devices as measurements, for the compact consistency devices are consistency as the cost of Reference assessments and the compact consistency devices in consistency and the cost of Reference as a consistency of the cost of Reference as a consistency of the cost of the COSSEA (Cossea).

conveniented of CORCA. INDEREC 1990-2014.

(INDEX attenuences or victoria in a Right Not cores, which was involved to be both out intermeding and highly resided. It is rether and that an extra efforts 100 served work in common with whomeous quarter players, CORCA. In a rest in light of the operation.

CORCA code: de tight into fact de intervenient to confinement, interfacility, into, any procedure is that common engal between players of the confinement, intervenient players.

lines, and just one class:

Auxiliarial promption to distribute variety provently and interested in Nacional applications when
CORDCS, was designed and was not involved in the design. In was designed effectively line
flow proved up as a computed language for themsions, with a large complaint one flow inputs and
contains addressed with relate and the designed of the contains and c

CCBCK has been under said disregulant in Mr. by its visitors, during process, and process, and process, and process, the distribution of the distr

igh and programming language most for humbes doe processing.

In 1994, CORCA, non-developed by CORASYS, K's reference on Chip System
The next region, CORCA, 44, was objective. The with some expenses.

CDBCC-00.

4. Sing space sorted in FFM and FBD to disordepoint represent communication CDBCC.

In DBCC STATE (Copposition).

In DBCC STATE CommunicAtion CDBCC was arised, which continue composition of disorder.

### Features of COSO.

1 COROL have short defined one

COROL has a Mchangange. COROL has a was analogally structured and a Marciflusters division.

### Веную оу солог.

CORCE, in add-becompited and save to understand read. CORCE, in after to handle large valuelies of data study.

CORCE, is may to use the the development and maintenance of business applications, it consides across platforms violent exampliation. CORCE, programment selves. CORCE, conspriends in those artificial processing approximation for people that beave it. CORCE, and the first violes are profitted, been decommented to program. In the

CORCL was the first winder medicals benefit programming language. It has an applied the language fit in my war formuly. All of the program can be unded to simple applies seed.

8. COBOL conhandle logic data promising. 8. COBOL to assignable with increasions com-

TR, COBOL has affective core management much that the excitation of hops to on the Auditor Section College.

30,34		Charadar & Boorlythia	
	A-2	Alphibro Gyper Corp.	
		Niphobels (Letter Cons)	
	141	Name's	
		Apar	
		Parker	
		Minu Sign or Higher	
		Annual Control	
		Everyont Mark	
- 1	- 1	Currenty Sign	
		Commu	



CERTIFICATE OF COMPLETION

### Computer Programming Tasks

- Computer programming todo procesily involves these major staps
- 2. Security Algorithms for the Solo
- 3. Publish & herithm/ Aconson.
- A Penning Agriculture Accounty.
- 5 Character the siete pour proping because he their

# Computer Programming Products

tions of the assessment between during computer programming languages

Chapterine is Cales. The proceeding who write projecting began algorithm to take problems at tradeline compatible computing tells.

2.46 points mean to be fined as the majory supragrams in matter it is obtained programmed on the proposition of the propositi

shape delay for maximus beyongon. We have more part of variables.

Holing Variables and

- Numeric Yardales.

6.Dex Types are detained from which interaction completes interprete fore the programme intends on the date.

No.

No. sembers (flow, shrimsh-m).

Cading State: The main mad it entiring programs mayor from Terr Stitzer, 1965, Complete architecture.

ners. Samplere: a cospile is and a concrete yangum file actiony the less Editory Theorem actions and is noting on union.

Manipateri integrine ari and a social case propose denty school y arminin.
Will all interna imposed brokepase for humanically in a shear application technologies of an internal application technologies are supported to a software application as the sample for a software development as the sample cases of united social cases and other amendments of policies and other and oth

## Open of Conductor Programming Languages

They are handreds of Programming Languages in colorator, reging from low-lovel languages in high land programming languages. The most popular and commonly used now are follows:

1. Chogamning Linguig

opomoto Language

4. Ferror Programming Lan

5. Parad Programming Language 6. Perl Programming Language

1. PEP Programming Language

irSPProgramming Longuage

Are Programming Language Assess in Programming Language

2.18PCespage

O. Nihoru Language ele.

in the Fall states, you will have every thing you need to have about Company Propresenting with Carlifforth to observe your horse below and comprises.



# C+ has enough of Comple Programming Language that are disclosed by Rama

gives for heave V, with Classes' has hear in 1963, it was given the mater C = 1, C = near at a least of parties, made as Readows, Limit, black OL, and the rations reviews at U.O.D. C = Language is a material transport, complete, the deposit of the regions both Procedured, Oligon Johnston, and Cameric Programming, C = 1.

Impage-the ingress test Proteined (fifter Printed and Genetic Programming C\*\*) relevand on a madde-level largest beamer is made by elicitate interesting or final lagel-level and first level programming languages finalized. C\*\* is a cooperate of E, threadon which see high C programs a largest C\*\* program.

that a code you write the a Microsoft competits will compete without arrow, using a competite on a Microsoft way, Linux standard or in Agles.

Compagnets a the of different programming styles, Forcus or in in the style of E, Finhou broadfall, via. Was an above with in our Longuage. But having an authory for almo-

Stratedy while managing notions and quick efficiency.

The summity rando-mander 6 in the IEE specimen Top Programming Language.

Net black belopsedent or Periodis C = programs solide assembly language, on he can an different melons with a little black modestyr. But it is no platform belopsedent.

It also supports the bosons of high level languages. That is why it is holing referred to an initial test language.

A forwarded Programming Languages (1 + 1) is a someword Programming language more, ing that we can disselt the program one parts by defining and using functions. So, it is very ing that we can disselt the program one parts by defining and using functions. So, it is very

and constraint and many.

S. Birk Edward, C. \*\* glossym a bird lithich faccions for mobile the development proman bir roy file.

6. Manny Managament C. \*\* appoint the factor of allocating promos dynamically in-

m.

1. Specify The rine of complishes and countries of C++ programs are very fine.

1. Specify C++ provides the forms of primers, frequencies conditions communicate.

with the excess the using the protects, five parties protects for excess program functions that interests, except on.

1. No consider the Control of a function that is inside except function to construct the control of the control

19. Elipin Orland C++ is as show around programming language. OO's makes set was dis-Populated and estimated series that just dis-display in Proceedings in American generality language whore it has do care to manage and materials if your power as project only plants.

18. Complet Need, C++ is a complete and Programming Engage, the manifest will not dropfing your ode, your C++ Program came to councied. First, we need to comple not Program using to C++ complete and that we can not be program.

# the state of the s

their in triplings with at the course or consist in the same, which includes:

Definition C++ program can be defined as a collection of objects that communicate viincuting each other's methods.

unit you with the Manusell's compiler will compile without more, using a compiler of Max, CNES, a Windowskie, or an Aglan The ANEI associated has been united for a with social that major C++ compiler manufactures support the ANEI associate.

The Semiculose in  $C^{\pm\pm}$  , the semiculos is a common terminate

C+ Modifies C+ Modifie is a same and in Matify's variable, function, class, mode or any other sear-defined laws.

C++ Ente Type: is to start information on ration-side type. He channel, with channel

3.4 Nachda Types provide us with named strange that are programs are manipulate.
Act Add Soupe in a region of the program and they are the food and global variables.

Elleratureler in final ration that the program may not alon unlifting are integer, flow, ing policy, Broken, character and oring facults.

Operation are symbols that sell the compiler to position specific legical manipulations. They are the aristments operator, relational, legical, Birchie, miscellancous and exagenates operatells.

A RESIDENT SOURT HAR TO SE STORY HOUSE SEVEN

Data Members and in represent a more). To define a structure, you must see the structure, etc.



### What is C Programming?

The Chrigaminia Lunguay is a mile sergiou, provident when programming being programmed to the programmed of the programm

The C. Programming Language was originally developed at the IREL Literatory by Domini-Rathies in humans. ICC and I C. Six made a resistant attention are in this specime Lanes, was used for the Scriptocoding the bound of the Cain specialized costen. Oxing the 1996, it was supported by the Scriptocoding and belonds of the Cain specialized costen. Oxing the 1996, it was supported by the Scriptocoding the Scriptocoding Costen Costen and Scriptocoding and the scriptocoding costen and the Scriptocoding Scriptocoding Costen and Experimental Costen Scriptocoding costen costen and programming costen and programming costen and parameterization and cost appealing costen on. The C. Programming Language to the cost and desirable cost to the NAM and programming costen on the C. Programming Language to the cost and desirable cost to the NAM and cost to the Costen C

The Cingaminiq Linguage's in ingentie's undexesy proceded language, it was designed to completely using a relatively designed and using it in the designed of the completely using a relatively designed and used to the complete angular language and the proceded and the complete angular relative professional angular and contained angular and angular and angular and relative proceded and angular angular angular angular angular angular and designed angular angular angular angular angular angular angular angular angular designed angular angular angular angular angular angular angular angular angular designed angular angular angular angular angular angular angular angular designed angular angular angular angular angular angular angular designed angular angular angular angular angular angular designed angular angular angular angular angular angular designed angular angular angular angular angular angular angular angular designed angular angu

# Renglis of C Programming

.....

 $\mathbb{R}.$  The C proposessing language is the building block for many other programming languages.

3.C program or pomble.

4. Common with late of half-to linearize

a Characterist manager beauty

Circumstationed Impage.

Cha s dynamic memory allocation.

Charles with programming

Learning C programming our garante high peoing jath apparatition because C symmetrs are very much not after.

### Anatomist to Octo Linguiges

The control of the co

## Finnisan Finnisen

1. EAR C 2. EAR C and 890 C 3. EAR

There is any composite and formed generous not by the C classificat. Line confuge are actionculty on their meaningful or C. Although, low-loosedness declare an importance destroy the opportunities good, commons one display delite framework of actions in "a sile "is a close 900 following 1" agist and first line coding. Commons within by " and "is closed seen, and one exposure of federate seen was deserously opportunities."

#### .

The base Cassact character was any the following characters:

Lorenzana and Uppercana betters of UKO Obeta Latin Alphabeth. Encional digits.

Special or English chances Philospois characters

# Accounted Horals Then has bed of a low of the 22 counted words that Class. 5 (6):

1 star 4 shan 1 south

100

Carondar apport he along an efrequence, which are modest and within expression to start the model interest to carried and while contacting the

C. Michaelic ( A. P. Ch. C. Anagoniero) C. Regerottid anagoniesi ( c.

gament on each and trade party on the ter-

5. Emilional reductor? 5. Equity today: ---, 5: 6. Equity today: ---, 5: 6. Enling Sention: (1) 19. Surpost and depresses

moral department for identity of the ident relations is not a

Bellinmin and development B. 5. [ ]
 Sequenting .
 Balanquenting grouping ( )
 Tage convenient (appearance)

3



# Of a stock, and Suppose makes also benefit of the programming begans to be stocked and manipul by Proceed in this face NPT intelligible to Addit Rep-

CF was counted another related to Analon Highburg and his collemns development team during the conjument price of the Self Enterwisel, CF in designed SF MC Content. Language believes many CLUs, which is made up of the counted-to-cole and motion contenament the allows for the own of other legal, for elicity or streaml languages on different computer platforms and architectures.

The CF Programming Language, forecase, was developed with the mode of business are emergine to mind. Cr Language manufacultural for businesses to develop all lateds of software by using our single programming language.

Although Cifementums closely follow for person of traditionalities level languages, as at Seal C11 and though an ideal wheeled subsets programming damages. It has a seen recombinate in June, it also has been subset all of the personal programming facilities find in the first before a personal programming facilities find in the first before a personal programming facilities find in the first before a personal programming facilities find in the first before a personal programming and personal per

# Why Study Cit Programming?

Balon on some of the reasons of studying CF Lange

b. Single in Co. Garnell Willer Ct was developed to be simple and enty-enty to see. Since D's a bligh is been compare programming languages, incommonlant analysis of the addition, C's devication every CLs, encounty of the complex details of flower, this is compared to provide and bear on Euclidean and Euclidean Compared by the content of the compared to the com

with No chardwall the primore-being it gains a historical situs an algorithmic. Errors with No ware every normal abuses, send-vines anticology-good languages and shar any wines with home pine, programs assumed hing, the analysts are growned, with the further consistence and flamelane reason or maintains as it govers to complicatly and situs.

year made on some or with at he would see that highly the definition of asserting in and stok.

4. Of her, the life Largest Stanfall wellow Community Stanfall wellow has software pro-

ment of the language.

5. Check (Sparttables: 1971-of the top 150 million whiches in the world are powerful to 405 Mill Statement of them mills between the top 150 millions and the million of the milli

6. Fattance As CP was designated all reduced to Microsoft reheald agos at the Microsoft reheald agos at the Microsoft relevant and respect to the present and the property of the reduced and reduc

 InfM:replement Opportunity and Coundrate; You can be a feed near or other protect and CF developer or otherer developer.

#### Renefits Of CV Programming Langu-

### There are Lebt of benefits and advantages you get from horning and order

- 1. CF is an Other Oriented Language
- Effor in America Gubage Eefforton
- 3. In CA, those is no problem of Minnory Los
- 4. Of hings-case the proces of development, and its approximate and Cross-Pattern
- 7. Better belegration
  - N. Mot Ergible and one to andonesis Coding.
- 7. Ef has a hope support the substract problem; you encounter while coolin



# D Programming Language is a high-level observe stanted until spandigm system programming language. D programming was requirely decayned and developed by Augmenting

make, and come betters of C = but the same feature of other programming language the lane, Pulson, CF and Kuby.

D Programming Language is a general corpore programming language that procures or

reporting contents APs and with the handware.

D Programming Language is well designed for writing small to large-under programs with a team of development. O is very usery to have, and if you have many suggestation and features.

Directioning to any a sudpilling hospitage, without to it as adversaried bengange, it is desertioned with a bring Machine, a bring althought, or at evoluting both, they are previous language for practical proposents who and a gas and a large and quickly exhalls and other making most than the designed propose in sealing materials and considerated.

D Programming supports both summaris type bugs collected yand manual memory management. In programs are received structured as compressed, or models clear as the complete operating from each other and how tritted by place with patient blocker to build move blockers or despited specific

D Programming how a let of fluidames and some of them are explained below.

Exchange Collection, Corbego and a time (CC) is a constantly-drawing appropriate proportion on the professor and control of a contract and control of a control of

memory viscous and transagas strings for trans. And primary purpose or garbage counts to relate behavior immorely as estimated of such as elementaries of the elect of weighting. See which a singal one modes, Promotes in discounts or made aport's and of ood this we as mobile apone, more or which was consider weighting, and delivery accommons to entire the entire of the elementaries of the elementaries of the elementaries are weight plangers. At validate values, or a small operations that was hand and following the entire plane.

3. Serveys to purposenning, an entry is a writer of objects that all here the come who and report finds rebust fluctuar in a same is could be a discussed of a same. Not opening, to see the class of the control of a same is not obtained by the control of an entry of independent parties in a first of entiring that is a discussion of an experimental and expert.
4. 600% Object Montaniprogramming, monthy artimed to an OOF in a Disquest Program

A COP is these Various in recognition, month without to a COP in a Computer Programme Interpretation on the first first programme Interpretation on the first programme Interpretation on the first programme Interpretation on the computer Interpretation of the Copy of the Proceedings on the Copy of the Copy

6. Performance in ampairing, compares performance is the amount of small work that incomedition if a semantian system. Online of the special is construct, comparing performance incomedition in the comparing performance in the comparing performan

design marife sharely algorithms are integrand and developed in terms of spaces or long to dear when the first dark of the property of the study of a great property of the study of the of the st

6. Freign by Contract 5. Unit Testing 18. Erne Workels 18. Automatic Women

10. Cros-Plathon
10. Eponder Broybeding
10. Eponder Broybeding
10. Ecopoles
10. Ecopoles
10. Editor Associator
10. Malor

## length And Advantages Of D Programming

- 1. Mals handign Specia
- 2. Separative
- 3. Dipowers and Programmi
  - Functional programming Style
  - Fast Compling and Environ-
  - I. Early System phonology
  - City system persons City of Data Knowledge and Pure
  - or a contract to brooken fr

## Development Tools for D Programmi

List of teels that can be used to new the development of nell more with II programming hospings.

- . Eulipsy play for the Ct.
- 3. Grand studies and
- t Visit. I Visual Studies
- Cobclificols
- Simbi I using a physicalloid B for mode.
   See A.W. is for Manufacturing and Price. B.
- i, ke Adirio da Manderselapanenti bisas B M. Ethanian sersambalan abada

## Benefits And Advantages Of D Programming

Na single courses orders by supposed line programs.

Total Control

#### wighter treate attend of the parties

 Makeling Person II Programming given you do option to almost whether method is convenient for modeling orde to fit your idea.

A Proposition of the Company of the

Smiller with Coper programming languages.

4. Convenient. Of Programming distinctor the innex of Engageths changing or boring too.

may puts.



CERTIFICATE OF COMPLETION

### Where Dest Services & Agentio

A Buts Streetwisk is specialised method or forme for organizing and enting date. Consold data structure types include:

3. De No.

Through,

Algorithms are set of rules analyses owns to be different by the computer to compute recious reliculation to do and problem orbiting operations.

All this Newholses are designed to requestive that is order recent a specific propose or that is such accounted and scredules this experience recept, incompare programming, while recepture may be released or designative error data for the purpose of working on a with various algorithms.

# Data Severant in a systematic may to organise data for effective image. The following

S. Benefice: This represents for art of operations data attention apports. However, an interface provides the fits of apported spectations, parameters.

 Englishmentation: This also provides the internal expressments of a data resource. It provides the definition of the algorithms med in the approximation of the

 Nacid for Bata threatery: Data are to organized or compensed in a data emphasis in a way that and all home may not be required to be conclude and the manifoldate are by conclude include.

stocks ofter a med is stock of the Mospoul, if can arrived by described as DEPCy For GoT to A few Manuscripty. Which receive the first data from stand will be the formular account.

A. Margo Neck. This is a biolompa-thal is used to direct array into agoid between all the committees there in a moted manner.

Sparither which the

tenetatyet.

Blaze Search This is a latinal way of combating a moreh. What agains is a

#### Adventages of Date Structure & Algorit

- ). Data attaction where information range on best-disks.
- 2. Data structures allow the data was and processing on a software system.
- serior.
  - Lit allow main processing of data.
- A process has despited analysis of process of the second of the process of the pr

# Day Section A Charleton - Implementation for con-

La Servicione A. Algorithmic Servicionismo Sylicia. Servicione A. Algorithmic A. Algorithmic Servicione Servicione A. Algorithmic Servicione A. Algorithmic Servicione A. Algorithmic Servicione A. Algorithmic Servicione Servicione Servicione Servicione Servicione Servicione Servicione Servicione Servicione A. Algorithmic Servicione Servicione Servicione A. Algorithmic Servicione Servicion

es Structure & Algorithm - Albe Belon de Breumen & Algorithm - Linked Lini de Breumen & Algorithm - Chaldy Lini de Structure & Algorithm - Challe Lin

A Algorithm - Next A Algorithm - Espension P & Algorithm - Chenc

Age then \* Timer Mouth Age then \* Interpolation Names Age then \* Their Table Sorthers \* Testing Alac these

Operation - States from Operation - Subscient Sent Operation - States Sent Operation - Operation Operation - Operation

Algorithm - Digit First Streaml Algorithm - Escalds First Streaml Algorithm - Son Escalds Algorithm - Son Toronal Algorithm - Son Toronal Algorithm - Sinery South Tox (Algorithm - Algorithm - Algori

Algorithm Story
Algorithm House DisAlgorithm Rosenion DisAlgorithm Town of Base
Algorithm Ultimacol Sci

28



# What is Fixene? Fram in for and approximate while SEK that enables developers to create station in the desired and COO populations from a major and how. Fixer his frameword extra SEL selected interface in the control of the selection and formation in the control of the selection and formation in the control of the selection and formation of SECL selection.

2013, where Comple introduced is, and remained in this smill Brownfee 2015, when it is officially intended, this or show, the have communing Planter has internal feel.

Platter has responsed the top 11 cofference expension to a CMI feel in terms of stars. Addit

Platin has responsed the top 11 colleres reportions on CHB feb is turner of stars. Additionally, with a secretarization of Theory app. published to approxime, homograph most model countries to the ASMs securit Xianya app. which is used by over 30 million-people.

## Haw Buen Flotter Work?

by continuing recover weights, Each of those veiligins define a nine test descent the or ple, a believe or a mount, a viry finite advance (for example, a femior under submers), and a layous appear for example, publishes.

\*\*Control | Definition for the CENT and have bed instructionable development with any first

Nodely, Flatter Zoonel us CESF volges but introdpervolds developen with per-bull widges that appear to be native to Audicid or ESC apps. Developen, of course, we have count fact one widges.

Liber to, Platter previde reactive only views for developer. Platter non Chet as the involves help language to read performance leave, nancined with only a compiled programming language. It performs a produces a compilation of Chet incoming code for multiply different.

hidge that requires a someon evaluation was the Anabodies and some requirements. As you may require, excepting to someon under endous the standard free of the application.

Flutter's set of the list language is exceed in most intriguing feature. Flutter, like other systems that make we of exact investigation that you will make set flutter. Do assumed that is a promotion a large number of a definion that have a maximum following of our flutter. But coupled a particular allegating confession, a continue flutter for continue of the large control or continue flutter for continue for the large control or continue flutter for continue for the large control or continue flutter for continue flutter for continue flutter for continue flutter flutter flutter for the large control or continue flutter flu

Also, Darn Indiadra is "not absking" samples that generates only the outer terrovary for your application. Even it'you only require one or two weights, you can findly social the filterity wait sufficient.

Finally, Dart includes a squakery of software packages that coalist developes to coast followed by the coalist against the second software of their against all the second software of their against the coalist developed by the second software and coalists are planted to the second software s

#### output by Finance

There are many bounds associated with using Flatter, both take a book at some of the

\* Rept Deve

Tona Surving

## Connection

Finds a copy with the vest widges, which topins that compatibility image are minimized. Developers concerns from the size when strating the age performanced to 65 versions and will not crime testing the age annihile CRI remains. Also, you are the assumptional year.

Agent Rhow a new version of Anaholi or 20% is nelsood. Flories widges mad be updated to note and does not made use of note sylvations vidgets. You may be available of these Platter's widgets will be updated.

of a love that whips we as prevented as also with platform wilgon as problet. Add, tomath, Platfor wilgon as completely potentially and epitholis by aryone. Evan other Ob replaces cate on our gap with new weights.

## books development is remible that to the one of het releable

Due to the fluid fluid Platter appropriate relicating, it is gaining algorithmer resolves among mobile durationer. Our completes, simulation, and land-our late relication and the second report of the Changes relation of the Change of the Changes relication of the change of the change of the change of the change of the complete of the change of the ch

elanded. Plurige arestinols to see stronghour, and developers sompreed the sinn someoning task of wearing it. But before, the development of oversimentaces, the addition-of-new foreures, and the protection of large. When image asymmetric security, it is a splintly passible to exprise it and

....

#### e conseglicaire and time-saning

A has to out off and hadred agriculture. Con yellow drudgment interest to amore there and transvers during the development process.

#### Excellent perfermence

Finner perform-enoptionally well in two ways, To begin, I makes use of Jan, is programming trapping that complete to native 2005. Novell, Novelle Flatter drips with in zero subgras, there is no need reuse OFFS zero. As a small, the upy militar platform recommission less offsettlessly. These two Flatter Sensors commission cleans appending times and flatter countil performance income.

#### cyes-man

are the support, contributes to the tori nationals decommission, and contributes to the tori nationals decommission, and contributes to the tori national contributes to the contribute of the contributes to contribute of the contribute of the contribute to contribute of the contribute of the contribute of the contributes of the contribute of the contributes of the contribu

#### Fixtur Coarse Octiv

Florer - Impoles

Florier - Seculations

Florier - Country Standa banduntum in Stadon

Flutter Anthiopine Application

Platter • Introduction to Best Proper Plants - Introduction to Widow

Florer - Introduction in Walgers Charter - Introduction in Learning

Plates • Introductive to Gottavo. Plates • State Management

Plate Animalian

hates • Writing Anabotal Specific

oner Strong 105 Specific Code oner Strongschied to Package

nee - Asserting RESTAPS

utor - Otrahae Conogro utor - Selomative Austre

Planer - Traing

Salar - Chrobopour Stole

Flutter - Vidos Lectures Plutter - Excess and Contification



#### x Ferman?

Forms is an imposing programming language compiled for gasted perpose these particularly resided, for manufact competing and scientific competing.

Forever was first Immedical in 1984. Forever is and is well assessmenty used as the older programming language, Schomfel fields, in particular, manneal wanter profession, computational float-legislation, and computational physics find their applications.

Forever, is a remplatile group, or recompositionly in a complied about a friend with, you may perform a quick day which for complicits of your without solds before you as when to except the first a final conductive and the second of the complete. This is shown in the conductive and on a first conductive and on the contract of the conductive and in a fight conductive and in the first and the first a

#### Why Learn Fostron?

For the at the designate programming language and its employer by applications, the describer improves the resignating granulation to the date in solar administration of Front force to rises, see which opening product that Foreign will equify their in properties you concentrations. I these productions have always battle. Foreign with continuous companies programming language in bilatory. One of the mater manuse Foreign has sometime.

Over the years, a varie collection of code has been water

regionality machines, allowing the language to pre-

. But a report to agencia is retroute

. But not of bottom functions

6. Eugent for every notation allowing operations or every next

1. Enong allacing rules, for manuary pointers, resulting in more

ii. Some linguoj vode anracimen la Fomose and still la apen



#### orteun Mus

PROBLEM, was designed for actions, organizes, and projections. There is such as a man data providing for the organize state of which is continued in the original or an expensive such continues to make a continue to a supplier and a continue to the original original or a continue to the original orig

#### L Program Streetery

Portion secreta PROCEAN keyword, believed, optionally, by a same tire the program to legin a program and end it with the ENE-PROCEAN keyword.

#### ....

To some would, other code, statements, function so recome

Witte the PROCEANSE entersions, you get define functions, deduce recitificant he medial flow functions, led Ma in other preparationing languages.

These are refuse or date used in your program. A restable can take to entage valid that I be private to a larger date framewar take as a list. They use done by useful to the credit this tests, would, already and many mans. Such visitable useful yealing to be passed dates. It does appreciately to what is balled date the state of the date of the such as a su

----

200000-0-2

80 -- a - d

find of data was are counting and that LOCAL AL, on-

## Attendages by Ferrice

For it can be a many sub-undager, women of which are

denie.

 Ferticas produces the markits lastest autire code. That's why extentific computing to portice.

 Farmes is extremely aprinted for vectorization, making it great for modeling supercomputers.

Modern Fortion is associately stople to and an asseptional. Compare to C1-

Fatton about on the techniques of the off-side rate pass find in Python.

# Mass Francisco of Ferrosa

). FOR SECS is animal for largeage of providend programming that enables algorithm to using of the scale.

 $\Sigma$  The COMMON distinction is used to accord the global racidition to be used in the programs for subsection.

 FORTHAY Elevation the submarison to position the tasks and the enters value, in his metrics.

4, top inharper or desired operates for a PORYTER.

 $\delta$  . Lower over absorbers in the summer test are now premisted, if semicolons are for used in single source line to dissinguish serious statements.

### Cearne Oath

Februs - Existration De Februs - Existration de Februs - Devis Setten

Female Chin S Female Chinalis

retrac - Variable retrac - Commis

etras - Operar etras - Osciol

Settor - Corpo Settor - Humber Settor - Chemis

stor - Strage stor - Atops

rar - Altiqu rar - Opnamic Arma rar - Obrical Osa Y

orter - Palaton. orter - Electr Supel Chaput orter - File Supel Chaput

otras - Proceduras otras - Modelos otras - Servinio Funciono. otras - Nameria Practicas

otica - Nome's Problem otica - Program Librario otica - Programming Style otica - Outugging Program



### Readly of El Programming Lawrence

There are bit of boardin and advantages of harming FF and none of those are in FF is a simple language for is very any  $\alpha$  form and easily accombine to most

oman arcope. I. If he a meg-drubpoot enimonat le Vinters class sel·usies sergalissies

3. Pergrammer in behave FF as generally considered to be well above arrange. A FV is an interactive language, these moves that its cold non-internalisety in the

 If implement ratio type-ducking and this belonce cash has of arous at a ongole time.

6. FF has an automatic parcellation in field insense that functions are administrative most practic for the collepter whenever it is possible.
7. FF is a functional programming language, this makes under to be awaity record.

# Fr. Impleded by Denier

FY - Springer FY - Federal FY - Flexibility

T - Des Tops T - Destables T - Destables

F - Volatelion F - Operation F - Conjust Hildus F - Longer

Pi Function Fi Strings Fi Option Fi Saplas

FF - Baylor FF - Basselo FF - Scapence FF - Scapence FF - Scapence

F. Magn.
F. Obcoleronati Uniona
F. Matalia Bala
F. Anaga
F. Mandric Lieu

Fr. Marchie Lieu Fr. Matchie Bichinary Fr. Electron Fr. Christian Fr. Christian Fr. Stammaline Fr. Famou Madding

FF - Newhole FF - Operator On FF - Minchison FF - Mindface FF - Hobbin FF - Mobile FF - Mobile

FF - Value Love FF - Value Love FF - Frame and I

.



# Wher is Go Progressoring Language?

policies in an experience couple in 200°, its often integrated support for participant despite in 200°, its often integrated support for participant in survey unless and attentional spring.

Old and in one of the languages further consecut of africant's and now participant.

Out any trees of the Integrape fluctuations and of chainty and not primit properly for unions development and a. On a presenting on national or marker of people projects and appending the development of top-could interestion across several absorption.

## Features of Go Progressosing Language

Language Designs Unless puberiqued has every that the European is a kniegh analone; to market include and their Unless the Conting the stay come is a ballow than a basing that by Polamon, it is not the could be accurate belongs. Note that some interesting design deplicate and commenced and the could be accurated belongs. Note that some interesting design deplicate and commenced and accurate the could be accurate the country of the c

rapid disculpt in the conting to put external prolonger and publish your own prolonger in an of each continued.

Provedial standard library: On his approach! standard library, which is distributed as prolonger.

probago. Maria Tgalag Colong is a statistic, typel language elicis meson in artis on incepto. Il met just well, encompiling the code macambility but also common over their type common

Bridge Repports Esting has animotive expect for unit being Essions natively. It's a night inschange to rediscourant har public with cost cold Section of this see an indicated year cold coverings by year even tests. This shie highe in generaling seer ex-

milionari/year code coretige by/our-even tens. This time helps in-generality seet code learnessees as an exemple ready.

The hear began to the company is just by the through as it response platform in sendoms. Data in modular about and medicarity in the code is controlled and is sen-

contactions being these which is accountly a possible and boson. It requires no deposition for order are be compiled in any platform or any service and application you work on.

# Go Programming Language control against in review aspects of noticeings and confer and the decays were incommentated.

With Development rise can be aural networky in full finings and development. The Coprogramming language has native august for Network WTTP protect which gives some adulty to counts with applications unley the Language.

Command Line Bakerine Co-color and is hearpy grain-that are for include their transfer from the command line. Add on Artificial Political Societies, you can easily health simple command the applications. On her vertices libraries that make this artist.
Networking Everbapment. On his side of Common fact on also power the development.

First-time Brustapeant field for programming language, yet can hald not fine applications. Yet can come programs that a serviceme as investigate or contest, per siding relations for a community obstitute, while a sensite under serv.

Ched Mchedrations Coding gives no demand accords chand computer processing, affecting you beginness your into me privately broad dead or which party some Clean

Miteracevises: A service veterand architecture that situatures as application, decomposes it as another services and makes it assists considerated, developmed sen. (i.e. let provide, specialized appear, such as influencement integration and up each observicities; performs and let a military intersectures.)

## Advantages of Go Programming Language

houses days if you see the standard bloom. By a pace of oduce with an only comment for app and with a single-broad ETTP server. It is a sentine, simple and only so well.

Nationally Open Neuros III their on any problems, triplems will delect ambiented the boson, as the Goldeng directions are railed, so they are ready solved before they become a problem.

Conservation Circumstances fundamentally in multiple procured control of standard and officer any

Carbon Language Carbowsh. The language Carbitates the duretipement of operation or recovery management for designars. It housiles all the jobs of manage artists aren.

Eqn. Convertible: This is extently a very good advantage because it miles your program by some flow. It establishes for the interface analogue archivolates.

On Language is Swift: It offers one property and upwer, we do singers find it one to him. The makes from the year to topolly and more before loops product on the market. Enhanced Kurling Tests the original only of the four facilities, according to do and the four four

# So Programmino Languago Benefin

one of the most significant benefits of the Programming are mantiously below

Environmental support than adopts, companidor parisons to dynamic language. Bulls in constructory support. The time to a country in that

.....



### What is Isole?

Heats is an open-vision offered dardingware framework flat is and fire dardinging mobile applications, force provider various rods and normal for building and dardinging Mobile 1.1 flat will flat or the look and dard of a static application. The look flatament was a station anagon to be delet as moveme as solidir darvisos.

It is required a healthing the first approximen. To result it cannot be advantant, that of thesis as the fines and Fine Berthot Stamwork that health all the looks, but and I fine Berthot Stamwork that health all the looks and and I fine the momentum part application moved. It is both or This feel "Best more plants" has with the reagent has a water require a sension making application arrange, more, notes making a minimum applicat with a health following.

Use Experience and the E.E.E. Conference on an application file for commits, instactions, partners, homeomorphic administration for a very sury to form and it interprets storly with other development libration of intercentive, such as longuage, and are be used superately without the inclusion of any treatment homeomorphic and committee or an accordance of the property or other intercents.

### sawra Of Luck

The following are the most important business of his

 nagalaciós losic as a frances sels usos de legisladó (AIV) artifecturar for haliding and managing delt single quay applications (AIV) due ser optimized for mobile decises.

DN emperate Nith to rains lost and further zone with bein, they compositively a strong of the change that a matter agricultur-depends on. The change defects played in Casin modification forces was design.

 Descho for components: These mobile components are extending the CSE components with Londonful functionalities to mobile and array all the mobile elements that content has not content of any visit \$17.00. and COX.

A Corbera Plague: The Apolic Colors physics offer Afficient in the are sould for

R. Smith C.M.: Smith C.M. in Node Distributing that in honogrowmed with various assumes

make upon the series while device.

The desires have forward in both the series and install in a both to the series and install in the series and install in the series and install in the series and install install in the series and install install in the series and install install install install in the series and install in

ing bein applications is especially, with say to loan, and accombly to just about asymms who has well-do utoposed with.

the promised le MT home.

### Bengku Of looks

The following are some of the most assumestly known advantages of funts:  $\label{eq:controlled}$ 

 In terriro sand for the development of Palvich Applications. This simply means that you can benefit your applications for both KH, disherial, Windows Phone and the Firefax CH, which was serve you a let of directopment time.

 Marting as application with toric in very samy since it provides you with a smild pro-go crosed upp with simple and havin barrens.

3. The applications are developed in a very show and analy website map on they are very maintained to and any to update.

4. The best Christopen Translates very good advisorably with the Google Breakpoin





CERTIFICATE OF COMPLETION

# What is Programmable Logic Controllers (PLC)?

A Programmable Lingle Controller constitutes abbreviated team FEC or a Programmathe Lingle Teachman is an industrial collegate company for the here one traceller and included life adapted for the control of materials collegate processes, such as related closics as a assemble line, or any series by the regulars high collobility control and one of programming and process facility of mellifogramming.

industry to regionit more sortions, regardized and efficient programmable controllate to be used to topics had vised finess, refers, sociospossors. Since fines, they have been broad by selepted to high artifelistry sommeries controllers for any unitable for bank environment.

A regularization of the in-reponent or the input conditions within a familial amount of time with which an effective opposition with seals.

of inputs and outputs 2005, with a precious in a browing integral, in a large each mounted modular do in that has a count of thousands of EO, and which are mostly adventually.

### and the second state of the second se

The sign state of sign of sign

3. Caparity Soft Programmide Lugit Commilies systems have the ability to regulate on the EV-chick in the min as of figits, and again embouring 10.75 Terms and up to 16 different EV-cyclement on employee and Programmide Lugit Extendition regulators to faith the self-Co-cyclement on explores to the control of the COO point find and hadded to self-device for ACM or intermediation and Ze self-commission for the COO point for the COO point of the

A Band-wave and representation A will Programmable Logic Controllar works are as entitled the LS AC marks acting 10 to brind that arrive and to desire in the folios on this pane (PA), including the 4th complete (PA) speech palestorm. It is adopted on if the wave bears like EA, PA TRA, EDES, and PC Is it works under a more minimal handware monitormer, which makes were dishocitabilities or review areas.

### Reactive of Programmable Louis Controller

- There are less of bosselies of Programmable Logic Controllers and none of those are;
- 1 Processor Control of the Control o
- 4 PLC hards ability to communicate directs with computer
  - 3. PLCs have a mediante to low tested investment con
  - 6. PLCs are made avoidable in mediate dosigns.
- 3. Leb apparamities and curve subsequence
  - N. Emily your CV and recurse your saving presented.

## Programmeble Logic Controllers Gourse Outline

- PLC Implumin
- PLC Inpo-output Do-o
- PLC Organi Systems
- TO, TO HOUSE
- P.C. Lable and Functional Block Peop
- RC Comments
- M.C. Town
  - PLC Council
  - PLC Shill Kaynare
  - PLC Data Elections
  - PLC Divigning Prop
  - PLC Programs.
  - S.C. Exercised Contribution



### Day of the

ER van regionity released in 2017 for the Plane, Apple TV, and Pail Track. GELs passes from OS X, from which is almost the Darwist Sociation, KAS in Apple combine various of the US X sufferom operating system that is used in Apple computers.

And the second section of the Phone and that becomes one year carried, we have deep reasons of the Phone and that the second one year carried, we have the Phone I is the was remainly launched which having producences Similarly, the Phone are critical from Phone I is the control of the Phone I in the control of the Phone I in the control of the Phone I in the control of the Phone in the control of the Phone I in the control of the Phone I in the Control of the Control of the Phone I in the Control of the Control of the Phone I in the Phone I

posted continuin Scale 6.7 and higher Wit have a sick-hypficitic communities with which we can find the carbon systematic matter for carbon systems steps in SCO discoloration. In the littles continued Scale, administration of the delicities with the continued Scale, administration of the delicities of the little systems of the delicities of the approximation of th

The number of more that are using the Effects Effects increased a great-daid stees 2007. This does opening a great appointing for authors alreadopers to make more, by arrating sections for Effects and Authorities for a positive term force.

Apple for the designed on soldier team forms on Apple flow where one country open, inflations to the Section of the Section Association and designed and deple when the country apple for the Apple flows. To develop an application and desighests in the state, the soldiers are developed within requirement and the SECE developed proposed with a Section of the approximately 2004 a part and ASE, with thousand Law installable in higher the loss development and the section of the Section ASE.

### anni ay ito

There are many features of VDV that modes it very popular and multy important is

1. Data Hole. 2. Plores. 3. Camera.

Privacy and Sacratics

s. Boods's. 7. Mays.

airbas.

Menoji and Menager Economics

. Fortemano.

# fergib of i

\_\_\_\_\_

5. NO Fixedia Verr Bigh Nacerity. White developing as ago be obvious, a company has to driven a platform with various carding features multice platform chief and the previous observable the amount level of according to their wars. Pleaser wars always only wide how contrast finance. X6 obligate among shifts for viruses and male war, making tribe perfect choice for application of any homeone.

5. Server Transambiene Though sourchy measurement abença implemented in administ the country impact of an entitle promising approves, KFS states of continuous counts for though the country and co

products over the year application at took present.

### Cureer Opportunities in 10

As increasing number of companies are bringing up the need for IEX producements. If you are in the belt for cover-agent within that are an white in the field, they are large, and were of them are kinetiseless.

1. You get a lot of informationing with KM Development.

2. The uniformum CR Devitement broads in an equationic.

 Information this confliction counce of the 105-the elegence trouble, you conhorms a Conflict Nobile Agelianius Servinger or Engineer.

 $\theta$  . For any horses  $\theta$  . Some Loader in any argumination and the originarishs for managing models were experience durings.

 Yan ne brommer XX Servispener Specialis and Mehlir Brosingment Engineeing Testen.

N. Trus are become a Souter ICN Engineer commanding high pay



### What is (Phone?

Place is a maryless that is disigned, produced and distributed by Apple Incorposition that joins ingoing the States of a compute, on Pod, a digital and

Whater names the Apple SSA Operating Epidem (SSA) and as of SSA T there are approximately 1.1 million metals applications that are available for it through the Apple Apple Ottors, according to a riskible.

Some and with the tracks from Apple COO introduced for others forth patricles or incomey 9, 2001, within Manuscrick 2012 anotherway in face Francisco, is come up for safe oreline 20th of how-that same year.

to the control, to 20%, the number of effects and cincic in related to appear one. To million, In 20%, they amounted that is had seld off 800 million Process. The same year, input accordance of Scholars the million Process. The lighter amount over the state of the same and eventually a series of the same and eventual eventual.

The Ethic possible of Phone was calculable (Most vite) price if it is the first first force is not missed and and opport the source like choice. The deliver was as if it is the control of the third in a metal-based price with a substance is not been considered as an amountal point of the control of the co

### Features of an iPhone

There are less of flusterer of an Effects and name of those are:

 Email: Like of producersphone on these, the Phone has not refuse could feature on it can upon to approve could server the upon factors.

Calendar PDA: The Plane are be used as a personal information manager, with a series calendar agelication, address both, sock tracking application, worther spicie, and

 Pair A durton description of an Phone is the it is a cell phone and an Profoundated topolors, seed coome in made player features offer all the assessment advantages and endnessed Pairs.

A Male play back in the ming, increasing the first is a grant choice for metric value playback, whether you are single the back in the large factories, sating your every value, or haping or vaning video consens time Apple Clause Gase.

A. Napper Willifors addition of the Application of the Application

per los modificación had one. The was Guillag compa of the Phone affirms the Franchise risto-chan.

### Rength of an iPhone

They are many bondles of the Phone and nome of those are:

 Lie-Woodle, Office comes a poor opinion for most to being the food mer. Even by phone or also, The most innervaling Sensor whose the Phone is the look and sensor of SSE, 45 moley 4's look lear's absorpt it is rearrily the way in was looked in 2005. Officers in also very to have antimorphic.

the certain integration of bothway section/ways inhome I have a south display the sea dense the pressure which is being put as it. Another important hands of using an iPhone is its amolitisty for all adjustments.

3. No Shadware No Students is man with an Elema, although approximate technical in Prince Statement and No model will not use which a bond streament.

seed.

A Famin Phones, are factor than included phones, Vs alongs, band among up fact informs on the made. I'v along smooth, and made is, Eustern Enters, with

5, we now applications if there has the her ages to far, upps which could margar raise and would so mally be described in hadred, has no smally be done with an Phone. The integring part is all apps a callette in the lifewor now one

residul and complainly soft to rea.

6. Bean founds realization: Mar works perfectly with iPhono which are a very

emoting combination. The committee frames in martiful allows you to und und roots a messages seen his final stony with calls, as long as both are now

with your finger on the York TX, you can make preparate relies.

It family filtering: This indices families to when apps, images, on: from fair:

Blooks, App Sone and Chorn resily, will maintaining present if anos, and a common
a 2002 when decomps for the family.

## Witt Study (Phone Best)

 $1.5 \\ \text{Independent to workings of Phono dorino and Shoro developer, analysis of $2.5 \\ \text{In the property of the property of$ 

 $2.\,\mathrm{Gain}\,\mathrm{knewledge}$  on the speed of the OS and the agelications discrease on it.

4. Guin Noveledge on waterly and data conclorations factorise.

5. Increase prior mening potential.

6. Advappeduction and career advancament.

# Weere Bader Course Outline

Photo Bardo - Boying an illness Photo Bardo - Dating Natural with the Photo Bardo - Using KG

Plote Busin + Using 106 Plote Busin + Using the Keybood

Some Barrier & Using the Phone-Topp Some Barrier & Adding and Managing Comm

hose Stories - Browning with Station Sone Stories - Sonatting and Philosophy App.

Plone Besser - Senating and Hanging App Plone Besser - Plone Settings Plone Besser - Senating and General Setting Bloom Besser - Senating and General Setting

Plane Series - Suitpeper and Series Plane Series - Managing Verification Plane Series - Syrang Your Oliver

Phone Basics - Synology Year O'Bento Phone Basics - Applic Apps Phone Basics - Using The Mail App.

Plone Besin - Using The Mol. App. Plone Besin - Mosagos Plone Besin - Usinsier

Sons Busin - Community Photos Sons Busin - Phone Tips and Yorks Sons Busin - Hidden XX Features

Sone Basin - Visites I.O. Frances Sone Basin - Video Leaturn Sone Basin - Essen and Cariffraise



#### har ör em IPlad?

- produce the print regular the finites of compute, as PM, a digital sensionand worth for phose into one device which concerning a reducence interface.

  PMs was under Apple XXX Operating Episons (XX), and as at 2817 there were approximate.
- ), 2.2 million models applications that are available for it through the typic type from according to a visitatio.

#### Feature of an iPad

 Email: Like all good murphose out these, the Pad has very vibrational feature and one specific angles and servers that are enough business.
 A Calandar Phile: The Pad can be seen as a second determine memory with a serv.

A. Ped. A director discription of an iPed is facilit is soull phose under iPed continued together, word comes in maningleper between often all the amounts advantages and and

4. Video pluy back. Pith ti-ling, and baselifel, the diled is a peak choice for earlieful video plughtest, whether you are using the bask on Non-labo application, adding your area video, having or many raise plants of the parties of the parties of the parties.

A larger With the addition of the highly hope flows, that wave are now installed binds of data, early application programs, singling from gamen that for and paid versions, Fancland and Fancier commons follows in a price flow observation on

nek and Twinte, remained findering to indicag the objective into ages. A Communi One make observe in the Wall in the Indical and Force community, whereas more

#### Renefits of an iPed

There are many benefits of the Park and some of them are:

 Der Frimilie (flat severa good spatistion for itself by heing the most near him plane to date. The most interesting finance absorble Paul a the look and access of 60% (if notice its host harm) storaget.

 Bain Nymbronismines Max works perfectly with ITed's which are a very area continuous. The continuity factors in macC6 allows you to send and receive.

3. Signit Play: No map to me, by jour tendpoing on Phalma payment terminal with your finger strike leads 13, you can take payment senting.

A Family Markey Trivializes families to their ages, images, on, how their Bodo, Age State and Claims emily, will maintaining personal Tanco, and access to

## with seath than ourse.

- Districted for hints and londerweid functions of an Put. Scinitis for medicalisms who are absenced for an
- Nature year knowledge on that operations and design architect
- burners your reming potential or a mobile publish. Adv apportunities and carsor subvancement.

## The Month Code/A Dates

Pad Busics - Introduction Pad Busics - Busing at Pad

Pad Ratio - Reprepar Pad Pad Ratio - Sorting Stated with d Pad Ratio - Sorting 605

Pad Ratio - Enlights Robust Pad Ratio - Breving with Tabel

d Basin - banding and Managing Age d Basin - Pad Semaga d Basin - banding and basin

Pad Basics - Sporting and County Sching Pad Basics - Padjusper and Branch Pad Basics - Managing Strictlestons

Pad Basics - Mail Pad Basics - Mail Pad Basics - Contain

of Baics - Bernindon of Baics - Menager

Pad Basin - Comers and Pleton Pad Basin - Econs (End Basin - Chines You Fally) End

Pad Basics - Video Lamons Pad Basics - Transport Combination



#### What to 2,0507

JACK is a high-freed, object-arrivated programming language that was initially a Sun Microsophium and published in 1990, larusprogramm can be out on a Kit-off such as Mindows, Linux, and Max.

JACA is shirly leaves to be made concern programming language that is designed to be the immunerate. And should also be formed, shirld out it is providedly programmed in me with very live dependencies or provide to any machine. It is intended to let include application do deposit. "with educ, manuscription," have the very little, in contrast legalcial and beginning to provide a second or and frequencies that support has included to be obtained to being completely construct or all frequencies that support has included to be

For example, previous sold and complies have program on a Linux modelies and on it on Macrosoft Mindoor, Mac. or models. Linux models we inhorize any planes of the securic color. YEMA is made possible for compling a New program into our instrumediate imagings known as lyacode. The former of parts by planes had possible A virtual modelies, known on the June Yieland Machine JPM My. In our observance for procedure or serious plantium.

## Patern by J. o. i. Programming

There Are Lain Of Fundamen Of Janua and Name of Thom Are

 Object-Orient is expelling in Jose Lugic is an Object. Jose can be easily medified a combed-size in in book on the Object model.

3. Platform Independent Tolder name when programming language, for example, C and C V is shown a loss Code is assigned, it must describe prospect assessment as assigned in complete assessment as platform independent hydro calls. This hydrocks on N dembed must the interest and consider the interpretable for the interest and consider the interest in interest and in the interest in interest and in interest in interest.

3. Margin: Druck control with a policy mode it may be been. If you can understand how if Chipo-Chicata Chicago concept works in group it would be one to market lawn.

4. Setters: Fifth limits associty features, implemented from the ment of development, you see develop temper from partner. Also, authorization techniques are whely dependent on public key emergetion.

sex, with the process of a tention spaces.

K. Parkiddo Bring architecture seated and having an orderess implementation Appendix.

Manager of the specific state of the processor to be southful. Not consider an author.

in ANN C with a brandery we also possiblely, which is a subset of PRION.

N. Balkeate, has makes as effect to remove return by making error shocking very winter and

## Rength Of 241/4 Programmic

 McKilleraded: With hear multibrooking flatters you can neer serils programs that as early not many lasts simultaneously. The dange flatters makes it possible for the directing to cross highly interactive applications flat can not very smoothly.

A betterpreted: Just by transfer is mentional or grainst under market instructions and in not need anywhere the T be presented development with Just it meet that and analytical time it is a stop by stop and light-relight present.

programs are developed with very high performance.

4. Distributed: Jesu Economical for the abstrabuted prestruments of the internet

 Breamer, And a must by ment in a stopping that a mine dynamic that Core in humans form is designed to easily adopt to a changing environment. Jumppingsmin on very a number of no-time information that can be used at worldy and must red spire a picking.

Evelopma

# IAS'A Programming Course Outline Inter Introduction Overview Inter Interiority Strain Inter Interiority Inte

Weidel Type Hair Epo Bair Spotter Lay Crestel Bair Spotter Sanday Norther

re Greine Making
re Nombus
re Chandon
re Chandon
re Miniga
re Annyo
re Annyo
re Miniga
re

o Supile Expression

or Hilland

or Hilland

or Hilland

or Hilland

or Indian

art - Berthalen
art - O-stilden
art - O-stilde

Jane Omerica Jane Strationies Jane Stratignia Jane Studies Emil Jane Studies Emil Jane Apple Basin Jane Apple Basin

The Contract Contractor



#### What is Anlia Progressoring?

Alla Programming Language is a high portionness, high freel, dynamic acception programming language. While it is an all purpose language and can be used in write any selfwars applications, most of its functionary cary well solved for numerical analysis and computational solvens.

The distinctive regions of Adda's design bulletin a data type option that has parameter properties in a distance, programming language, with neveral despitable in the company of the comp

Adia is a participa collected language, malors our of outper coduction, and it comites of efficient libraries for floating-protein-decisions, condens marker presention, force algebra, only updat augmentum matching, beyond filtration are available, which include some that

# Features and Benefits of Julie Programming Language

delay jed fluit, acid san also be used the wah and all peopers programming lades. Seems of Julia's Fosterior are excellented as follows:

 India is an expensive, modern, high performance computer programming longuage that was designed for unimities computation and data manipulation.

2. It is designed and discribed for purely transposed

many

8. The Pyroll package gives hidse throthlies to sell Python Sanctions from within its units and HECE, All packages using the MATLAR (I package. Functions and libraries during the day of the new Allender during the Law Sell package and the new Allender Sell package.

or quarter.

Unlike other becomes a con-belond trave in belones well assessed and assessite first as

 Scientific companions makes great use of ventorized sole to gain more performance housiles, balls attinished the small to recentive coals to attain any performance. Brownest and

Note has an elegant and well consolide proventions and promotions for both numeric and

thir spo.

#### Why Study Julie Programming Langua

They are many boundles of the studying Julia Penyrumming language, or some of those are:

- 1. Date commise development skills with help
- 2.16 la min na el compariro militaling, light reight grant femaling also releval to se.
- Initia has a very powerful oper conser. The convenions fulls provided by fulls fape converse are degree and well example.
- C total del sen terrore religion del como
- 5. Note that across facilities for independentning and for Exp-40; must
- .....
  - Clinick your CV and increase your extening preceded.



#### What is K Programming?

K Programming is a proprietory sensy processing software programming language that we developed by A blaze Filiniary and later made a communical product by K.S. Systems.

K Pengamming Language serves as the hore for Laffe, which is a colorer local, increasing distance, and after reduced flowering produces. The language which was neighbor by developed to 190%, a small facilities of 190% and is made up or demonstrate of following colorers of the increasing minimizer in challenging on the handlenging energy, and expressive spots, and is a reduced beganger minimizer and the reduce of the produce contract and is a reduced beganger minimizer and minimized as a red produce, it is not increasingly without any remains to the interminal security of the contraction.

hast manageded side of providence based or exhabition for eight set left. The diagraphics make up at set if an of primities factorists have at adaptively for promoting were, Diver-principle fasteriors include multi-remotivel approximate the sets of our empress which dates principle fasteriors, set the so-promoting set engine for eight of sets on, building and sets of the set in providence of the set in the set of t

Use APL, the primitive functions and aprenture on discipance for single or death of some better, because a called APL, & limition death of the APL of dentures are 1 charles for this side of the APL of dentures are 1 charles for this side orbitation of primitive functions in it, in matter and have developed, with such of the APL of the APL

# Features of K Programming tous of to future of Kindols

Molyan defermed: It is completely an object external programming language. Such and every relative It is not provided by the external every state to a supervisor. It may single such laws to draw the supervisor. It may single such law to draw the state to draw the supervisor.

A Final Risk Constitution of the Constitution

3. Minime 6 has a former of single inhaminant with, 6 has modelness well as dissect 8 modelness controls has been assumed. Butter, a modelness have been also as unless, which delens controls has been admitted about models to be of last, of an and weighted about models to the secondary of an interior with which they assumed to offer properties. Note, then as of he and provide admitted about the secondary of an interior with which they assumed to offer properties. The former and the secondary of the delens of the

CPanel Appearance C programmy provide prolin have of in Engl

are intrompted. Alternation, assurement mobile distribution are completed by the code where it extends.

K. Yarlakib Cammana In K., common are not cancelly common. If a common that has already be

arous an quoticular de applical without any clause, that is former with the constraint will process annual delay of the applical.

3. Plantifor Expect Excellent's bandle following printing specific Specific Street, Street,

6. Clause: Clears are a hade medical of recognising all winear information, properties, fan time, vir. about a ringformitte They provide for singlest agreeab. For detecting a compet or concept antisy entrepresenting 8.50 year mod/program.

 Properties Proporties are attributes that you want to be assumed with a particular concept.

th fisher/man: X supports inher/man prolitifie or wall or single/shermore about, following studied a strategy about a transport of the set of filterine flat in X, and A form set only inher the proposite and functions of the proposite and functions.

especiation, if Employment to applicable which disposes the and where a value.

## The second back and description of the common action of the sec

These are many bounded and advantages of the programming and many of these said.

1. A few surpressions and expensation development before.

3. The lateral grames of K is rary swift, working to programming our plot up with the system.

7. K bern and Woodly date Structure.

. Productivity and Speed with Know voly High

CC has account as regard for the body of the state and medicing.

If it is not be body before the form as a second so become

 Exceptional backage for dealing with methors and seathers. Execute productive and to look also.

H.X. Sandrindings or either languages such as loos, C. Vissuil Besis, and Exact.

B. Vissuil and exact and exact the same and the same

10.85 half or interpresent communication and binary formal for deposits one simple as mental, making what system interaction exec.

 E transcrumpting acar object, massing that you can see it to model each could application.

 $\mathbf{E}$  conducted to divide position applications and software that are highly obtain

Note K couples in some orderinantly, it is necessly fac-

#### Course Oasla

E. Proptomony - Introduction E. Proptomony - Architecture E. Proptomony - Overview

E. Programming - Architecture E. Programming - Architecture E. Programming - Epman

ngumening - Kyelon ngumening - Advanced Topics namananan - Advanced Topics

CProgramming • Adelmica CProgramming • Fanctional \*Queries

Programming Advanced Siglics Programming Editir Additionals Programming Editirs on Disk

Perpanning - Edition of Line Perpanning - Edition of Localism - Perpanning - Estate Cockets - Perpanning - Estate And Confronten

Programming - Evans And Cott/Control



#### Whee In MATLANT

NATLAR which is the according to Matrix Laboratory is a software programming for

MATLAN second our initially was Marcia Programming Lampungs which size in recently linear algebra programming very simple. IEEE hill programs are becauseful smale innovative receives and also as a behalf july.

MYTALE is a freeth parameter Mytar exprepresenting begangs and incommiss conmission between the imminity and for supervise computation, data visualization, and programning.

XXII.All allows you be every sed notice, manipulations, plotting of functions and also, anything of the implementation of aparthetic, printing and admittace, according propriate that are written in solven transpare, studied p. C. F. - Orders, for such Efform. It also allows you to enable or any plant does produce adjustments only the problems and areast models of the voltage and admittace that are considered from the contract of the problems and areast models of the voltage are admittaced as a format of the problems and areast models of the voltage area and admittaced as a format of the problems and areast models of the voltage area and admittaced as a format of the problems and areast models of the voltage area.

EXTLA backle of University resements and mathematical functions for allow you to any own mathematical obstations, guarantee plant, and opportunismentation attended ACM ACM as interestrict development represent whose these data showed as in terceions and an absolution set on a dynamical discouraging this allows part is not always symbolically related profession as recogniting, expensibly them the law of with translations of matter and related profession as a superior of the control of the con

#### COUNTERE

to due to 8 Mary and a resolution begangs, the behaving are some of the basic features of MAVLAR.

1.4647148 is a high-level language that is used the numerical composition, these risculture

2. MAZLAB also gives you as instructive divelopment continuous for instaline cap

 MATLAR also comes with a rear library of multirestated functions for solving librar elphin, Frenter analysis, statester, data Electing, optimization, manufact integration and for arbitrary assisted efficiential countries.

4. MATLAB provides por with holiving graphics tools for visualizing data and it also gives por tools for exeming custom plots as per pour application design.

you to improve the quality of your orde and code maintainability and maximizing program performance.

 $0.\,\rm MeVLAB$  also provides you with tools for building software applications that here existe positional stars interfaces.

отта проста на периро нет и лиц (11 261 верир на 1100.

#### Readen Of MATLAN

They are bit of benefits and advantages of harming the MASS. All programming harguage and come of them are:

 MATLAR is a not that a independent of the suspiler to be used and a denot-require any compiler to rescuelife languages like C, C == where it is expired. Codes in HEEE ARI on writes in sentence and exceeded one after the other.

Bring complex independent makes Mathematic productive and officials.
 MATEAB is a fourth governoise high-local programming language.

4. MATARI cube is used to conver the cube that is various in MATARI to larguages like Python, MOA, C++, MIT, sto thereby uniting the MATARI larguage more constitu-

languages.

may to use by recring numbers in a rector or matrix where the use of dept is not needed.

7. Complex medicensrical operators such as the multiplication and milities of matrix are be-

#### MATERIES

This MATLAN programming language course is designed to give students a very



DURATION: 2 WEEKS RMAT: WEBIFOF FLUS VIDEO LECTURERS

#### In Note JS3

NaMe 45 in a server with plantings that is fault on favogle Channels bandweigh Englan A Militarian. The Fools III these constrainings from Dall in 2004 and in consent receive or of the sites of this serving is a COLD.

Note it is a pleasure there were include an Contige Character in American congress conductives an development in the continual for the conductive confidence of the confidence

The Nadelja Elbrary should be a risk or of colors developed Libraries and Madelies for makes area, the process of the developing costs occupied with adolescence using Nadelies or a great

## Features Of Node 2.

the mile. Next, a to become the first charter of a threate do deduce.

Apparheness and Event Arbeits, A.P.A. Sould in the Next, inflating one a professional final form and the first of th

Yang Kaut Sode (Kilimon, Being built on Google Chount's VI. Jeratholpe Engine in very des remaining the code that it being material.

Chingh of Security and English healthful (Fedi. a realise as of a real of health model healthful indicate depths of a real transfer measurement of fedi of being other areas recognising a control of the control of t

Aparlic ETTP Service.

A No. Bullion Service and Control of Service Annual Service and Control of Service Annual Service Annua

des injunes.

Il I bosse Tie Note William is extractional de MET trans

R. Libratov The Node-Ni Strony is enhanced under the Self Tilcomm.

#### body Nede JS

Any compares programming tangency will give you make this amount policy from ware the others. The final policy Soldy is 100 fit or for displayed and developed with the order program of managing applications of such Mindow leading making entirescent of the most procurageous developing you of haiding complex such applications made Needly's stand-out from other compact programming.

With man's billion durabade, host problem in developing not one activate applications, internet of things applications, and worth temperature applications by painting treatment form then any other software including and it notes in the top most in formal uniform developer dails.

Biders are more of the reasons why you should study Node 270.

mattine outpine, it is developed with C++, poispoid for several software operating vertices and it is notworshy but. Both interes VP and Verba are applicable frequently with several opinionalism. In parliamenes, sourcing matters, and its support for matters, hardy-depth features. The several Production that againfrom the connecting 2009 data which is the exercisement data interchange format on the With in that default.

2. Parts Determing It most provisional varietisms, RTTP support and representative between the state of th

A Press; Trade a treasity used as a new acidal procy whose it are manage a large market of conceivers and simultaneous connections in a manus that it not blooking it is particularly useful the procyling volume services with different sequence times or gathering data from new or over points.

A. Quand Expanse If you've gening a high-amount of simultaneous and son data, your deathnace and become a hotherwise. Node, is can easily manage the annual property of the property.

## Current Opportunities in Neste J.

At the parky legislates lived, more people stant their cursor as a time-hand at the develope self-was applications using ETML, CSM, and availability. The make things more convenient, and according, additional action-legis sood to included in the project and Node IS is one used technology.

After spending a few years as a developer with this technology conditions on controlly protected as a times bades, architect, comes ments and product review. These who policies come a weath the management and data anothly become

Many developes also have the option to one development on share age. Note to development considerate, soline and development, age Restopment and product forced writing and tandards. Ottos development, age Restopment and product development constances are constitute contrary option for Newhole preferences and

#### englis , and , advantages by Newle JO

- Notice of the service was no not conceptionism that is held not have been presented by the con-
- Note it is very easy to Lown. Node his worder, a Nimbe Promoming Lennage for Jo.
- hide IX gives you die homelit of being a Fallmank All develope:
- Note this development are the Support of a Large and Active developer Comm
- rote II who are The feedom to begin to
  - e IX gives you support for community used development such
  - de D hombie. VE Kagaria Streedingsondy.



#### ot in Parcel?

ming language that was do stood by Shihan With a si mill, but vary official programming language, designative reasonage good software development provision by simplying both associated programming and designation of the party gives the same Facad in lance or the Facad philosophy, mathematician, and phoneire Brince Pacad.

Based on the feeth date can extens by Week A. Apostone - This Terrature - Paper Parasit was basis on the paterns of the ALOCE Nilsengage. With two sortions involved the photon to Nilse the begans or part of the ALOCE 3 of the surfavorable system date that referred in a ALOCE 3 of This restrict was not complete, and the ALOCE 3 or made it down to 1 to 10.00 With made option control control to ALOCE 3 or control to the ALOCE 3 or provide and the ALOCE 3 or provide an according to the ALOCE 3 or provide and the ALOCE 3 or provide an according to the ALOCE 3 or provide and the ALOCE 3 or provide an according to the ALOCE 3 or provide a ALOCE 3 or provide 3 or provide a ALOCE 3 or provide a ALOCE 3 or

On top of the scalars and arrays of ALGGE's, Found allows direct departs to define any descripts under descript dynamic and receives does marriers such as fate, gaples, and tous, Practitions around plate upon one of its objects, which make the one form of data same to remainful or interpreted as another without arphibitly percenting it.

Unlike other programming bacquego is the C-denity, Practiculores you to use a sound definition of proculous to any horizon duple, and it also afferes almost any bind of data definitions and device times make its automation of functions and procedures). A finand pergram is function similar generalisely to a single procedure or function.

Final frames very popular and measurable for EPRs, mainly revisib longesting units requires mades. Veries amoption was also made realisted for many interrequients as the facts once up in the last PPMs. It was broadly used as a longeage for specing in minnic for the about programming counts in other EPPs, and it is not used in production once for developing commercial collector design for usuar point. It measured administration brings for it programming imaging in the factor PERs and many PPMs as it has the longer programming imaging in the factor PERs and many PPMs as it has the factor of the programming imaging in the factor PERs and many PPMs as it has the factor of the programming imaging in the factor PERs and many PPMs as it has the factor of the programming imaging in the factor PERs and many PPMs as it has the factor of the person of the p

A discle soft or referred to as Object Pascel one discreteged for object principal programming in 1965, the applic Computer and Expland and one of this in the last PARS for exclusion developed into the CARS on the Advanced Windows platforms. Various colorates of the Pascel developed into CARS on the Advanced Windows platforms.

## Compilers and Interpreters for Penca

They are nation. Facul couplins and interpretors that are available for any

 Barke Parcel: precision at ISE and exceptor for coming Precisiongrams on CPSA, CPSA-91, DOS, Windows, and Maximus.

2. English: This provides complian for numbing Disput Facual and governors native code: 32 accorded Windows controlling controls, or work as 12 del Mg CO X and CO X and CO English

X Free Penals is a few compile for moving Penal anni-Dipor Stead programs. Free Penals compile to a X2 and 4946 Safet Penals and Diplot compatible Penal compile to

A Barbotk: It is a fire Pound compiler for the BES Samilies of microcomolism, with Salva Pound Topman.

R. Diegone: S in an Object Postal compiler for the JMT and Moor platforms.

 CNY Pseud stiPCx h in a Pseud-complier perposed of a first endos GNY Complier Collection.



#### What is Python?

Python Programming Language is a high law of object released collected, proposing promising language that comes with an integrated dynamic sometric which is hostically for software all cape development. Python was promoting Guide was thousant and first released in the year EMS.

Python Programming is an invested university in the Salti of Kapil Application Develop become it is described based on the described baseline services.

Publish she projekt horson it in referred simple and expression should in more up in a relique cases and exclusive should be followed from the analysis control and analysis and Publish salds markinasis francisky are with sides Fragmanning Lampager. The region effects of this is desired above the case of a developing and maintaining represent became it affects described in beinged developed as out of developing and maintaining represent became it affects development have to work hospithar without suffy entiting the temporary and expetions of different to become howe

One of the most interesting theorem of the Python Programming language is the both inimitated bitmap and the interprets on a radiality to see of themps, which the longs and some lines. These is not qualified following without as Python and all the nazimenty tools are articled on all the major patterns associated. Therefore, it has too and impossing option for don't approximate only what is worsy these parings in high parts of the don't approximate of the season of the paring in the paring in the paring in the paring in the parine of the don't approximate out the parine of the parine of the parine parine of the parine of th

Pollands in general purpose purposemental pategorape, which is morber very for no torup that Pythen made and the interest recepting, their improved, Pythen is no interpreted language, which is to see, that the vottee ords in the matterly terrelated to machine horst during mortion. Even front, more Programming Language or this convocious before the purgoses not even forces. This type of Programming language is the substitute owner benefit languaged because it was interest to be made in the follower mortion was a languaged because it was interest to be made in the follower mortion was

#### Features Of Python Programming

Python comes with a lot of Business and of the low, some of those are Build below:

A Condy and high Anni Hyper Microsof programming language.

individuality and reality.

Service validation beginners.

A Franchistan Senson Robert on the last according to the form only to

F. Free and Open Season Python language is freely deterbated at its official enh solitors. The sense-code it who available for everyone to use and considerate tests development. Therefore it is no necessaries beganner.

 Object-Oriental Language Python approxima object-oriental language paraligm than biografiar emorph of cleans and objects to come into existence.

 Large Handard Editors: Pythin has a very large and hand standard and find-party lifection and it provides a fich set of modulo and functions for rigid agricular-development.

R. CET Programming Regions - Control our interface uniform can'te developed using Pulmo.

 Sengrateit Pytion on be only integrant introductinguage such as C.C.Y., LMI investigs, re.



#### Cearner (Antile

Police - Scheducker/Dram-Police - Scheducker/Dram-Rober - March State

Potent Ministra Special Potent Basis Characters

Python - Basin Operators Python - Ductors Mulini

Python - Loops Python - Vandom

other Strings Selver Street

atom - Toples atom - Toples atom - Dictionary

thore Date & Time from Francisco

don Mobile

plan Film IO other Europtions

Salam - Claura Objects Salam - Boy Expressions Salam - CGP Programming

Salara - Dandeur Arama Salara - Salaradiny Salara - Sanding Ernal

often + SAE, Proposite plan + SEE Proposite plan + SEE Proposite

rton - Vidos Lettero eten - Essen ded Certification



# When it Maket Native?

12000: No Noth, CO and Andread divinus, YO Nood on Nood, Yauthord's Annaholp follow for Section of Annaholp follows in the Section of Section Section of Section Section Section Section Section Section Section Section Sec

With the objects can now do stop matrix applications that will have the lock and had not make applications, will from the constructed a localized bloom but may be about partial places and not applically Associated both had to the man of the noticy partial between the short of the construction of the const

Brishmighend XM. Bits mediap propolety Loven in DN. Thus, while the book, the final Solice naments the mixture making place in Opportune (Dire XII) and in Prime Dire Authoriseptiments, Directive year application with mensing and model (II) components, so can be also seen, and will be and to Solition in your best model up them on the position of the contraction of the Contraction of the Contraction of the Contraction of the Basic Nation advantagement than the Solition of the Contraction of the Contraction of the Dates applications are allowed years and pollisms flowers as who is the place moment, where

Read Nather presently supports both EH and Instead devices and her the potential shift

#### terres and Benefits of React Nati

can men dan greetly inflammen, the developer's shifty it has the development themse who makes were de approximating leavages from its proprise and wirely such it assembly officeantiferflammen the relation of a silv-depart Banch Satir's case are such leaguage, however for which research is the most applied and which post-departmenting language, however for our of that show backmented without legion of the World Edde Will (WVW), the other was not within these backmented without legion of the World Edde Will (WVW), the other was not FVM, and/OV.

# enaltring copulation are by for the boar and there.

is the control distinct exhibit application development community flows by development was mand back in 2011 by the Facebook was used a war immediated in 2011, these in a war made and projectories and absource and incorporation gravely increased its projectory was further pushed formattly the development correlating to it from all over the world healing to a very more community community.

tion an implicate transport with the transport of a sure an independent processes. In this instruments for the transport of t

Support for Dirichters University The magnet birds only libraries is already a large and the support for the support of the su

S. Connectic Orbital State Visits in fails community driver.

R. For Bod's and Cod Saring Face Science, Science for Handard and code code codesing.

For Bahedt Boat Native comer with both first salted and het school.

R. Performance: East Packs provider strong policinases for mobile and common.

# Pay Soney Parest Soney

### The following are some of the reasons why you should be no linear Nation

6. sando in Pretermina Control Protection and Control Protection (Control Protection Control Protection C

 Presides Cree, Plantone: The cress Professe source of forces harive measuring at a possible or develop recognitionies for two plantones such as Andread and III. The framework southern supprise and mark supplied on development with the major flame's one common many and salley.

3. The Efficiency of Native Apps three degeners the travers histopy fields than a being a completely on these between the terror is also provide design attention. It is allowed to the completely on the provided and the complete of a series of bedome aggleration is segment as less or efficient self-amort productive, bears that exchange the contract period on the complete or self-contract period on the complete of the complet

A Base Varies is Pert of the Leading Emerously. See Cross-Pastices Mobile applicable development base Novin-proposition is continued; guesting. They have been been proposed to the continued guesting. They have been been proposed to the March of the See to the See they been proposed to the March of the See to the See they been proposed to the See to t

I. Examérica ano Web Project late a Melbit (Nothina Earth; Web Rout Notice, a sotrapellis. (Not very politic a required for divelopment on two-platforms. Book Notice for this analysis politic advocality play in horsest confidence with well to both Notice interface for this analysis of mobiles. Their locate that Noticepon HNs and not required in appropriate and classify advocated it and continues of development.

A, Basel Yashin Wani Dhaqqoon Ta Bin Nasan In Collect (Rost Solitin is adopted to a run author of redirect during on those in the bosses goar work wasts their time and differs on a technology that are disappear in a people of point. The proof in the first Hoodwork name her herpitims plans to meet an much more in to goverhand divelopment.

## 3. Secrete Year Earning Petrotts

N. 240-Eggorianthis and Canar



## What is R Programming:

Annual and a surface of a state of a surface of a state of a state

Andreas does a large transaction popularity.

E Programming Company is not written over provide because of the their popularity of the contract of the contrac

described an electronic region for an end of residence of direct data.

Because the expension of these and many an expellent formed if it is properly, the proof is recent to the proof is properly and in the first formed and end of the end of

B. Programming Company in fractally as experience after if the foreign membra fragman area of legislate and a feet and a feet the following the following fraction of the company of the c

tion, bendering, amounting. It is financial contribute which has been contributed with the highprocession and function, and the Community is transposed for the any active contribution had a contricipation.

Most 47% - Most Section are will be the Community of the Contribution for the contribution of t

approximation of the distinct of the control of the

In Signife contribution is fatter Pyrockigas Advancedurate and with C.C. C. Co.M.s., Mither Pyrion and transpiration of an E-dispose describe Data in the Scholar, E-land stronger relation extended representing facilities described these extended computing languages. Containing E-s after contributions of its facilities analysis fatin.

erging site.

Frequencing is the end is asserted polytocom and a page, and the medicanist is when.

# The same below of the constraint and a time and and and and

I. It is a fully developed, simple and effective software programming language that include conditionals, brown, user defined experies function with most and extent facilities.

3. It has a very effective facility for descharating and acrosp

). If provides a natural operators for satisfactors recurrys, but

B periods a sign, content and insignate contents at least to data analysis.
 B periods people of facilities for data analysis and deplay other descrip at the comparation of the least analysis.

B provide popular territoris in manufactura angle, and analysis to company of planting or Squitte.
 B rans or all plantiness. The B collesses that present witing accord particular plantines.

# analysis in a conference of conference

R is forward Open Sounce moving that you don't have re-our tra-

I ha morphy upper for this Wangley.

It comes with an array of Packago and encouser

E allow controlled and fined bands

It allows provided the machine learning operations

It is very popular and in popularity is still increasing.

Legring and Endorstanding it will triple your dispose of gotting sick visce and the tone son after legacies for Data Intellytes and activations:

# Programming

- 7 Employed communities
- 2 Seemson outputte
  - dultina Learning.
  - State Com-
  - noun Luc
- 6 Million
- N. Francis.
- T. J. tymosty and be descripted statistics blo costed technic, executement of
- C. If it widely applied to its exploration determinates.
- ), it is also applied for analyzing both discrete and continuous probability distribution
- In the Tall Course you will have complising you would talears about it Programming Language with Corollands to character your interfelips and completens.



# Barriel and the Proposition of the Control of the C

Bracks a tractional high-front, each purpose programming begange their one stringered for one or making self-hanning. Reprinters and need revise floor integration set made credible for a bread mage-incomparing plantitums, complete some for IRM manifester analysis.

Enable and in both a maner and varieting language, with the poorly and for data archive property and for assembly reports or data, their electrics of these with first man find Reports

Flux to the feedbesseld activities, begangs to recenquenting extrate, and it is discussful as intend-more language in according continuous activities, and to SPIPS, 1879, 5378, 1 and to SPIP to recommendations. Administry, for these programmeds gaugang and the sold of activities, and makes language and the sold of activities gains and makes language and the sold of activities gains and processing the makes according to Missians-Australia Eliza, Alina's carbon participation of the form adjust a solution of the final support in the infinition for centure.

# Feature of Rest Programming

There are many formats of these Programming and some of them a

Boton has a total simple assessments to multiple environments.

B for the shifts to expend functions, providence, and commands associated species as white providence.

A holik in mark, with the delity to introperate with the host stack if there is a final instruction are untaining just two decay instructions.

Contractor yelen, including ratiols some.

Character unting basis Donamic data system, or declarations.

Dynamic date leging, or deducations. So you not be ready, cought to the local control

Arbitrary momentum protession.
Decimal arbitrarias - Charlespecies.
In the Arbitrary of Arbitrary Constitutes associates arises and another constitute.

National configuration.
 Cookpression

American arrays.
 Straightforward arrows to except commands and finite.
 Simple over handling, and hole in tweing and also

 Greple over Junding, and build a tracing and de 21. Fee antificial fundations.
 Streamford Streamforce.

# Renglis of Studying Recy Programming

Box are

Enn arthretic is arrestly described a decinal arthretic includes receive that

solved by the programmer to the rities by the computer handware.

3. The Kenn Programming nations requestly limits on the size of visions in the world include.

first to preparation.

6 Boxs is a malestaly small programming language. This makes the agreembable and

The dynamic nature of the Earls programming language makes it very satisfied for lone protection, language above protection, language above protections, language above protections and interactions was foreduring develop-

 Britis & a control despends suggest that provides arveigns with the salestings of periodicity and scalesting of their applications.

7. Biros, Bacco globally conserved transle. Disc messes described asseption programs on a website which willness be ready insuled by finest additions of the principation of language instructions. Not with once this reason that collected programment de not sould be found the larger make that they do not send for one, but this is also very impressed when they are only using the language for do religing an exercision for an application.

Clob Opportunition and Carron Infrarecount



# Whee's Kine Programming Language

East in a multi-penaltym programming language that is designed to optimize manney was safely and high performance, their a sanitar is C = in the annu of syntax, but in damped provide a much better money withy while maintaining high performance.

that the department of the property of the passes that it is not in the contraction of the wavened members had be the distinction, Bernale Elsh, until a host of others. The developers subrequently so fined the language is fall of a stigning the Narios between lengths, and fall that compiles. The company is a fine undergoe according to defining that company with a death developed members that III because and the Appeller Lengths (1) and 2 (A).

or cyclem, and minimizing beneficion that preserve very large cyclem bringshir. This has bringshir that at bringshir that with much simplicion on order, control of the minimize knowledge concerning from in-the strapes of the knowledge concerning from the strapes of the knowledge concerning from the strapes of the strapes of the initial bringshire principles of an artifaction of the initial bringshire control principles.

Keek door not make on all on automated garbegs collection system that show that are used by face, Oo, or the PART Elementers, Emode, it is not, to enterly subother records in takigal, fitningly the records equivalent initialization (RAE) measurements, with a very optimal counting of informac East provides determinate management of sources, with a very low condition.

### Features Of Rast Progressing Lang

There are many features of curst, and below are some of

 Zees must delevarable in Braz, or can add decreations without alliesting the continue performance of the code. It improves the code quality and wadulatiny of the code without any customs performance code.

3. Event memages in C++ programming, there is no exactless improvement instead mages again a compared to DCC. These gent one stay further in court of always. Event memages at displaying in the foremation, or intro-; and does suggest missing-plaining in terms program.

Opprinkense: But provides the fasture of a Type inference which means that it determines the type of an expression automatically.

A Many assumption that provides this famous describes a supp operation to be replaced by the mone assumption where a suppose delegal a community whiles.

5. The Court of White district prises of a district or is a constitute which the control forces are according to a control for the control force of the c

partner have splice somet ever where not when memory is offered and disdocrate.

# Benefits Of The Rast Programming Language

- 2. Box is as form CCC+ while it in fer union.
- ). But it a point of purpose language that are be used for any purpose.
- 5. But he as inhelt dancetony and held transported boves as Corp.

# . Discount of the second of the set first

2. Business a computed system program

1. Mel separations and carrier where

4. Enrich your CV and armer benefit

manne June sand

or Programming Lawrence Course Out

....

Rant • Mitroduction Rant • Enrichment Salay

na a Vielle World Enampl

or - Data Topes

Conde

r - Sering r - Observer

C+Opponen C+Opponen NM

r - Desirate Na r - Loop

Famoton

- Topic

Ownership Bocowing

Steam Steamer Engine

unt • Modulus und • Collections

tur • Erne Handing tur • Concilc Typer turi • Sopul Dates

Bust - Souther und Ch Bust - South Pointers Bust - Concentracy

Rust - Concerning Rust - Vidos Lesturos Rust - Essent and Cont



CERTIFICATE OF COMPLETION

# Wher is Scale Programming?

Scale which is the does from 6 or 6 delable Programming Language to a friend, not beprose, whose control functional programming transpare, the soft original for Philium-School, day, find a remotily sailed diffus transpare of beliefully a storate and functional fragments before programming, which will be the storage of beliefully a storage of the storage programming, and completely algorithms, the storage of the storage of the storage programming, and continued to the production of the storage o

Scale (one have object whereof and functional programming in one small, high lovel has pump. Buther state years help up to all of arms, and loop in large and complex applications, sentine, here virtual mealster and X sentions for you wher and held high professional pupil reticons and accounts with very simple, way across to the large procurator of libraries.

Neals is a more than a purpose sufmore programming language that provides much us for object externed and functional purposeming methodologies, and a is also built with provided make pays extent. It was designed to be small and conclus, among the decimatic when designing main ware atmosfer adolescing extincture of face.

South is a completely obligate visioned programming language, in the south of the completing in the land of the land object. He was the land in the land of the la

Schleger-Vide a lightweight and case he andreamed the centur for defining assumenceface lines, it effers reported for higher-order face lines, it affects faceloses to be sented as expense were large.

# 5. Type before the Solls, power me segured to deduce den type and function return

I specialistis, Sodia is misst along its first neith tiqui-oblics, Thereins rigin of the filterations; principle of the region of the filterations; because the filterations.

3. Singleton Major: In Sodia, they are to considerated with only more thinks in Sodia maillass of a majoritor-filteration, which is behalfly allowed with only more filteration for consent file. The electron following in advantage of the consent file. The electron following in advantage of the consent file. The electron following in advantage of the consent file. The electron following in advantage of the consent file. The electron following in advantage of the electron following in advantage of the electron following in advantage of the electron following in the el

A beneabilitie Scale adops the company of immediate, Each variable that is declared is immediate by allock beneable have more you useful large to other. Travers due province module variables that can be modified.

only when they are supplied. You are dealers allowy metable by using a lasy laryment. It is used to increase performance.

It Care shows and Father matching. Care shows in State are just normal above that are increasible to default. Either matching or care that are just normal above that are

 Conserves present Nucleoperate yea with a steaded library durifields the accemant. With Soda, you can write recises amounterly only by using at some.

7. No long better probations: Times the reference of Times 2, 19,9, foods presents a new listons to revenue arrings from your largest sizes in its conformal or as using interpretations. Onling interpretations of the restricts of restric

# Manager of Scare Programming

State allows you to one either the Object Chinnied paradigmore Paradema.

 Seals some with Compatibility and Incorporability for 3. Seals has a hit of advanced Sealers.
 Seals has a restry used EM season.

Studie attention that you write high-quality code.
 Learning under willinday procuremental a ray high puying job housens wask skilled.
 Learning under aller by the giant such companion. Has Northin, skilled thought

1. Status works with the beginning applications and data organisms administration

# Why Study Scale Programming:

1. Scala is a part-object-oriented begans 2. Scala is above functional begans.

Seals are not and craces; and solid Sales are perform Synchronous and concerned ands prescuring

# Coats Did Commencely

Scala in mostly being used new usy platform and most importantly it is used to primprise with applications. Some of the work features also four allow it to be used on the work include:

. The Lift Francesch. . The Play Francesch.

# CHESTO IS SCALE PROGRAMMENTS

Chipsia Organi, process and success. An opport a text form out of a rise.
 Chips. It also can be said or be blue the main sensitive that deven the formation or states.

X. Modhedu. A mathod can be said firly a higher tire or a function. A also can also continued and not just objects. The logic is along in methods, manipulation of data and or

4. FMMs. Every simple object has its special set of satisfies which are referred to an Habb. An object's believ for a constant by the values that were an approximations fields.

 Cleane, A strong a horizolty a surfed or function whose value value value only depend on the value of variables writes annual this particular linearies.

# Busic Sy

Com-Sensing the South is non-constituting to thingape, which mean Fred and fixed mean different frings in table.

 Chan-Sensing in the class saming convention for south, the fixed home densité design in

to be used union.

3. Mothed Names: All methods or function names as to be stated with a Lover Case.

Inter.

 Program file Name: The name of the program file should county be the same as the object same.

6. del malajurgo Arne (Nedagljo Soda programproscoling brytos from the main) ii

### Scale Programming Course Oath

Sala Programming - Delevator Scala Programming - Delevator

Scale Programming - Ear Immune St. Scale Programming - Basic Scales Scale Programming - Date Trees

State Programming - United In-State Programming - Clarace & Object

Scale Programming • No con Wolf for Scale Programming • Operation Scale Programming • W.F.L.SE

Soile Programming - IF ELSE Soile Programming - Loop States Soile Programming - Familians

old Programming - Functions call Programming - Chrome call Programming - Strings

nia Programming - Respo nia Programming - Collections

usa Proposenso - Patiers Maching usa Proposenso - Bagada Espanosa

cale Programming - Compiles Flor cale Programming - Commune cale Programming - Files LO

is Programming - Files LCI is Programming - Volco Leutus is Programming - Volco de Co

8



# What is Swift Programming?

Smill an Amill Programming in a multi-panaligm, all purpose, compiled computer programming language that or developed by Apple Soc. Sor Pall 20, 100, 100, 201, 10100, 1010, 1010, 1010, 1010, 1010, 1010, 1010, 1010, 1010, 1010, 1

smills large body of pre-crising Dipositor C ands date a written for light software prodnot. Seef a finish with the open-cents LLSM complet terms and and that has included in North cents in Set systems, North and Andrew Seef to Apply plottlems, Crisiana and the "Bloggies" C motion (Dong's which allows Officials of C.C., C.\*\*, and Seeff sode to ten inside one program.

brell is the product of the latest removed on softenan programming languages, coupled prophers with decide of equations of Postdings, depty informs, Namicogrammines are declared to a clear centre, the makes developing. After in death-to-consider to make use of administration. Even home, white world, there is an used as type contributions followed upon make could be be observed and law pamer continuition, while mainlife-courses we be leaders, and

Apply preprint Swiff to the vapport for many and coming of facus according with for influence of procurement beneause, working features of product, coming by preprint subsequent law influence, and which belows the set with or way, influence making is very subsequent law influence, and which belows the variety or any other many lay is very premising among more vanish as and printer described and set product systems ungare which premising more vanish as and printer described and set products any settle variety to premising more vanish as and printer described and settle variety to produce any other settle and the settle variety of the products of a set of described or settle variety of the settle variety of the settle variety of the products or as well described or settle variety or settle variety of the settle variety of settle variety or set

Deed 4 comes with a plangmand Endown whose software due to effect on a resistant in an advantant to one for traventh instants, I have found the best of which was published in 2.5 to an Oracle Larmon since 1 to joint we come up with the first public willing it realism, and have it was appropriate and important they may only an emphasism. Well adoptions with the lates it was appropriate and important they may only an emphasism. Well adoption with taken larm reviews other propriate programming languages such as Eus. Objective X, I ble selfs, Others, and CALL.



# There are many furnish of Solf and associal flow

- They are many formers of Swift and some of the
- 2 Social has been and they come embledy release
- 3 first an appropriate and open
- 3. Swift popularity Control
- 5. Swill be at your that have various support methods, executions, and
  - Socil has Secritored programming patterns, e.g. map, and filter
- Soriil has an advanced control flow with delite, guard, and report keywork
- Soriil makes use of safe programming patterns.
- Social provides modern programming from
- 1. Saids provides Objective. Managemen.
  - . Sorth provides warning accounts ordining Cassa from

# length of Soift Programming

- have not many bandles of Smitt and some of them a
- Swift rodo-on may and nadulis.
- . Switt room one may and known.
- 4. Swift solouther Se ports App Bruispean.
- 3. See ill programa ancumpatible with Objection C.
- 6. Programs that are written with dwistours has grown to a



# Ange Frightenday Clark Ca.

will Programming Variables will Programming Optionals will Programming Topios will Programming Constant

will Programming - Copies will Programming - Constant will Programming - Common will Programming - Common

of Programming - Decision M. of Programming - Loops of Programming - Datego.

off Programming - Characters off Programming - Action off Programming - Scie

olf Programming - Note olf Programming - Colomoston olf Programming - Francisco olf Programming - Victoria

off Programming - Chromic off Programming - Emmandium off Programming - Structure off Programming - Chrom

will Programming - Clares will Programming - Propositor will Programming - Mohash will Programming - Sobscripts

ord Programmy - Describes and Programmy - 600 Octoted Programmy - Describ Oc and Programmy - Type Contest

Swiff Programming - Protocols Swiff Programming - Protocols Swiff Programming - Notes Control Swiff Programming - Notes Lapture

Andrea forte Particon

-



# What Is Fluid Russ, NET?

Visual Basic NET Framework which is musty abstracted over VD Set in a single per moders, object whented computer programming language that is developed by Microsoft to savege the press of NET Framework and the CLE (assumes language-variation) depolies the day position by handles that are the transferrative of Visual Basic.

VENET is an object when the are the transmiss of visus mass.

VENET is an object when the order was programming language that it associated on top of 1 NET Promotories. Although it is an evolution of vanished A thank Black language is in one backware compatible with A based Basic A and any other part for their in without other all.

Anni Bar off orther AKT languages, Visual Basis AKT has complete support for object or cool programming compute. Experience in VASAT in traced as an object, including all to promittee deliverges are placed. Languages, this time, Bookson, Lin, and allow, and so delivery types, remain, and reven assemblies. Mit objects in VEXAT inheritationable bear alone failed.

VEXET is received by Microsoft's NET Instrument. This Implementation that piece is fall among and the Histories that are presents in the New Tenserous Art, shad promised as VEXET programm on Mone archivers, which is the opportunities of the NET Entire NE, and only and/or Windows OD had disc on Educa on Plac (NO.)

The Net Francisc's applications on providing math-photons applications. To: All Emmonths bear doughed in such a way that each Newed Francisc of the Disvoluglanguages. Visual Basis, C = C S, burgs, C DEGL, ws. All these languages can describ support the Emmontal as and a communicate with such other.

The Net Francescot has an enomine through desides the are another about the pages such as VENex. Their impages make were the object or instead authorizing

# NS Not incorporate various flations (the the video manus affice, automatic control sockwaigs and notice) and, and in which holy with divelopes to develop with approxima software analysis and favor.

actions county and total:

[1, The Trand Book 21] recognissively lengthy inequations assembly formating of circle, a lightly intelligent and super-size-depth formace, as SSR, center and too more belong.

3. by using the VESAST Programming Language, a variety-depth more analysis of the water applications for the attention of the till, the primar performance assembly due till programming length and the second control of the second control

The accomplishments in the property of the forest and go to a single variation and the contract and the cont

# S. Chips - Columbit. All data in VE Native princetly associated at the data transfer transfer for the data transfer and and or problem in V

Circ. do.

2. Medica and Control Purpose VENte is a general purpose web programming lands has all the features of any modern web-site alayment and modern purpose of the control of the co

A Streetuned Language VEXes is a highly-invariant programming language.

6. Plantime Endogrammic VEXEST is a plantime analysis of computer.

 Platform Embyondent: TELNET is a platform independent computer programming language flow-free. It could be compiled on loss of computers and platform anticombe may are different OI.



# Wher is Unsulfrento, NET.

Vised Statio NET is an Engined Development Environment (ECL) helt und mengel i Microsoft flat carrier und für developing diffrantier of commisse. Wildows from prophetic

Visual Studies's and individual control enterpair on the first incorporately by the Minimard Relations, Professor CE, William Studies, 2017 Enterpair ADE Compair Framework and Marcard Relating En Visual Bands ADE Visual colors within a sense of the Compair and Adecessor Relating Enterpair on the Control and ADE Compair Framework and ADE Control and ADE Control and ADE Control and ADE Control and Visual Enterpair Control and ADE CONTROL ADE

with to other appeal for control control, while edition first are demain specific language and rived designment are a low examples of the new industrial that may be added demains these players.

The Bullium integrates both offer magnet for different was become forecast of the C.

C+-, CR, Python, and Balte M, while Empanye services may be expensely initialistic per languages, including M, Python, and Raty, among other appropriationspages.

Then we Theat Studies reviews that ofthe region for spells language, which we a conclusion distinct for executions to development the right and province we Vanid State, or for advanced men who was not for provising uniform application and position of the language of the Vanid C + And are not intented in the few specification for its constraint.

# Features of Unital Studi

5. Code Editors I. Recovery other IEEE, Visualization SEE system with nonless others from the matter department of earths highly and not on experiment and other forms brightness between the residable, firmation, a learn medicula, from, and E.P.G. parties. Introduces in samplessing outpart do from the regionary from an incident in the EEE, with the Committee of the EEE, with the Committee of the EEE, with the Committee of the EEE, and the other type when the residual in the EEE, with the Committee of the EEE, which is the Committee of the Com

2. Debugger: Eved Studio AST 2000 or 10 a Strugger the visit and as a debugger for visit and real under military and a studios. As the debugger for provide visit both emorphic rate on visit in varior and and it can be used for abbugging applications for any visition is not longuager-which a suppress for Visual Studio. In addition, it can sho be also had be resembly processes, for membro, and debug these minutes.

X. Bedgaet Viscolfocki, PMT includes a list of other viscol Anignosi to Mg with the illustratement of agelications. These tech technic Mindows Frame Designar, Nobdesignar development, NYF Enrigner, Data designar, Classifenigner, and Happing Assistant.

- e relies es cu mejonos.
- - Put-Ougons.
- it. Executes and Support.

### Rength of Finactitadis.

They are many bondes of Viscothesia and some of them are: 1. Viscothesia is a platfore-independent EVE which means that it can work on Windows.

Lines, Manuele.

2. Unadfinade in a light-origin (BH) and it is inventibly for with all its mels.

3. Unadfinade has a value architecture.

3. Novelbrode for a reflect Architecture. 4. Intel®Asses is added for all to copposed begunners.

# Tools in Disselfmalls No

per labs Browner.

7. Otjust Browns d. Scholer Explorer

N. Sarvar Explorae.

7. Pedimetric Protection Chellacuter Community.

For Grounder Frenzwell.

1007/ET No. 100 Administration Text.

Ultimal Studie Texts for Office.

# Company of Products

mont Youd Co-

. Monach Youd Resid I. Microsoft Youd Sids Service

l, Microsoft Yassel Nide Servic I, Kosse Bo-Ope I, Shoot Freder

Microelt Visual I == Microelt Visual II Should be offer

# Why Study Finnel Studio Net?

II. It has a radios architecture

2. Unsufficials in a light energia (DC and a intercedibly less with all in tents.

Linux, Mos. six.

Hunal Studio, Net Course Outlin

Understending Visual Studio 2018 Envention Learning the VX 2008 Environment Building Programs with VS 2008 Enhancing for VX 2018 Experience Valles Learning Duma und Cettification



### Wher & Visual Besle?

Microsofth Visual Beaks is featingly on more deliver think procession software programming largest factor served and enterpaid by Microsoft for its Model Co

Witnesself wanted Visual Basic to be very one to home and odd, with, The same Visual Basic was defined from EXIST, and it supports for the applicapitation development (EVA) of nevine application are intended in EXIS solution application and object to the exploration and object to the exploration and object to consider a solution of the exploration and object to th

Like the Birtisk Software Programming Language, Microsoft Visual Desir was designed to have an early borning corns. Before a programmer can count undustri

Programming in Visual Bade, is a continuous of graphically arranging components or control on a form window, along with deliting and specifying the corious attributes and section, for force finances, and also writing additional flows of

Visual Basis nam he send to develop options reasonables ("ear Blot), UE. J. Uco er Anti-o'll controls, but it is businely used to errors Windows software and to accom-database opticits.

# Features Of Floral Basic

Theorem in a finances and characteristics of Viscal Book and some of them are:

5. Theorem on the numbers in Viscal Book as found in order BASC begauge, order in VII are grouped into administrator or methods.

. In Wood Shots, only Nationals have no terminating character count a loss widing the

Code-common in Visual Shale are deduced with a ringle sportingle Childrenic . This has defined common.

Livering instances and other metric and with hopework life While End, Brid Loop.

For Not, etc.

5. Legical and Straine code operates are utilled. This is not the over in some language that are defined that C soil as Put, in which you will have different September 2000.

This will be a few or of the control of t

 Noud Desir have varieties arms been Armys are besirally defined and-dockered by artis flav agest archives boards in a way that it ways shouly related to imprope this Frankin. Proteon. It is also proable to our the Option Bear naturemen in Visual Basic to see the default own board.

 Voud Shris has a shalorly powerful stagration with the Windows specifing option and sho, the Computers Dipor Model. The notive dates gone for arrays and entry one for dealcted COM Cycs, SAVEARDAY and OSTIR.

# Renefits Of Visual Ro

There are many bondies and advantages of Vound Basic and some of them are

 The life-structure and system of the Black programming language are vary simple to ware with expectally as write system-manufalds code.

. Should there is not only a propriate ting larguage but it is also bestudily an integrated an element-or software development environment  $E(W_i)$ .

3. The Visual Book Elli has healthight both and optimized or support for the capital galaxies from development (SAII). Yimsd Bank modes it periodody vary may to held and developgraphical are increases and to assess close to ravious handles functions that are pure label by the application.

 The graphical war interface of the Visual Batic EXE provides you with an intuitively unil appoints does for the management of the program arcsense in the volcine-types of critics such as change, modelus, providents, Stories, etc.

 Shad Basis provides you with a comprehensive interactive and entersymmetric miles help-spects to easier you with your development activities.

is There is a larger untilege of wallshy small the CCML components and libraries for many different purposes in Visual Basic.



MAT: WEB FOF PLUS VIDEO LECTURER CERTIFICATE OF COMPLETION

#### What is Xemerly?

Xamada is as upon-sense ordinare development platform for designing and healthing modes and highly optimized applications platforms makes CR, Andread, and Mindows with XET. Instruments, Xamada is inhancing as alternative local for terminative with XET and only with the underlying platform rule. Xamada ruse is a smalley-design momentum makes in benefits, such as subsets of local and makes and contained as makes and an authors of local as and makes of local as and makes and and an account of the state of the state

Xamenta altern schman devolopen in dans apocamings of our WYs of their age across multiple patchess. This design patchs altern softwar devolupance with a basiness logic in just one bargangs or simply some their cristing application sold.

complex into native agency in our year, such as an upf. the for Android, or an Upf. Elever. 205.

develop native federal, ICE, and Windows application that here native our interfaces and after their sold over multiple platforms, including Windows, Linux, and macOE.

#### Features Of Xamaria

### Relate and many of the States on of Name in-

 Yamarin 230: Committee of allows us to design and develop against one for 90% while using the same CL controls that are made or subtlee for other plactions, appr, recopt with the representation of a modern language like CA.

 Namaria Andreilli Tamaria, inclusia alleres aufrenze de releptes to designand de relept subsidispolicacións shife naleg de rames 1.1 commis, recept sels des proces of the XXII and a livery franchisto, and translate Silvi, sanche Commission and Yould Maria.

A kanedia Mare Commissible offices with our distriction to dissipated develop applications for MaX is also Crand MXT framework shall easily for some CoX. It floration at II. I design commiss. Bosone Xements him is density imagened with Xerole, for our water densiyage come in Xerole Sametes Uniform commission of the foreign or optionally densipy from all Xerole Sametes (Coxide).

retires visual mobile politicities and devices. The factories for Could be simply a closed based relation and provident software development with resistant developments task that appear assessment III Americano Tanting of mobile applications seem insulational of different mobile devices, since in the host based, the minimum and performance offices are removed from the non-constant.

5. Ending Appl Technically helps revers collect forthick than a real more for the opportunity. Application of the object of t

#### Rength Of Xunuris

## They are less of howelfe, of Samuele and some of these are:

- Risk Xanado, prospend from loans developing authorize, self-or other.
   With Xanado error positive code that convenient multiple platforms.
  - Name to have district.
  - Named offercaments for many 18
  - present sport rebboars on med p
  - Effective of line applications.

analysis by Alex

Xanata Unitediates Xanata Unitediates

amata • Free Agglocation amata • Agglication Manifest

emanta • Anabotal Articity Life

emarks - Transitations. emarks - Shallding the Roy CR

Named - House

Camele - Capento Camele - Android Walge

Xamata • Android Biolog Xamata • Oofbry

Xamatic • Audited Vices Xamatic • Waltiscout Ago Xamatic • Challeston Nov. Le

